

Index
Reports of Project Work/Study Tour
Bachelor of Science
(2020-21)

Sr. No.	Reports	Page No.
	Academic Year 2020-2021	
1.	Project Work B.Sc. III (Chemistry)	2 – 34
2.	Project Work B.Sc. III (Botany)	35
3.	Project Work B.Sc. III (Zoology)	36
4.	Project Work B.Sc. III (Physics)	37 – 78
5.	Project Work B.Sc. III (Mathematics)	79 – 114
6.	Project Work B.Sc. III (Geology)	115 – 146
7.	Project Work B.Sc. III (Microbiology)	147 – 185
8.	Study Tour B.Sc. II (Botany)	186 – 192
9.	Study Tour B.Sc. II (Zoology)	193 – 206
10.	Study Tour B.Sc. II (Geology)	207 – 208
11.	Study Tour B.Sc. I (Botany)	209 – 210
12.	Study Tour B.Sc. I (Geology)	211 – 212

**ACADEMIC
YEAR
2020-2021**

Project Work B.Sc. III (Chemistry)

Group – I



Affiliated to

GONDWANA UNIVERSITY, GADCHIROLI

PROJECT REPORT

SESSION 2020-2021

DEPARTMENT OF CHEMISTRY

SKILL ENHANCEMENT COURSE

B.Sc. (chemistry) SEM. VI

Pesticide chemistry

“Survey on different types of insecticides in agriculture used by farmer in Gadchiroli district”

Guided By:

Mr. S.M. Sontakke

Dr. N.D. Bansod








Dr. S.S. Kola

HoD Chemistry



DECLARATION

I hereby declare that the matter embedded in this project entitled "survey on different types of insecticide in agriculture used by farmer, their composition and comparative study" is genuine work carried out with my group members under the guidance of Prof. S.M. Sontakke, department of Chemistry, M.G. College, Armori. The work presented in this thesis is original and has not been submitted for any other degree.

Sr. No.	Student Name	Signature
1	Ku. Vaishnavi Ravindra Tichkule (Group Leader)	
2	Ku. Avanti Ishwar Shende	
3	Ku. Priyanka Shamrao Thakre	
4	Ku. Sapna Gajanan Talmale	
5	Ku. Puja Vishwanath Sorte	
6	Ku. Abhilasha Nitin Soyam	
7	Ku. Chetana Ramesh Shelote	
8	Ku. Diksha Shishupal Shende	
9	Ku. Payal Dilip Sorte	
10	Ku. Dhanashri Prabhakar Tulavi	



Department of Chemistry
M.G. Art & Science & Late N. P. Commerce
College, Armori, Dist. Gadchiroli



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



ACKNOWLEDGMENT

I take this opportunity to express my profound gratitude and deep regards to my guide Prof. S.M. Sontakke (H.O.D) Chemistry, M.G. College, Armori for this exemplary guidance, monitoring and constant encouragement throughout the course of this project. The blessings, help and guidance given by him time to time shall carry to me in the journey of our life on which I am about to embark.

I am extremely thankful to Dr. S.S. Kola and Dr. N.D. Bansod (assistant professor, chemistry) of the college, for their timely help.

I also express a deep sense of gratitude to the Dr. L.H. Khalsa sir (principal) of M.G.College ,Armori for giving me this opportunity and for providing me all the required facilities in chemistry department.

Lastly, I thank Almighty, my parents and friends for their constant encouragement without which is project would not be possible.



Ku.Vaishnavi R. Tichkule



Principal

Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



▪ Introduction

Substances which are used to kill insects are called insecticides. Insecticides have a wide application in the field of medicine, agriculture, and industry. They have the potential to alter ecosystem components majorly and are toxic to animals as well as humans. Some insecticides become concentrated as they spread in the food chain.

▪ Classification of Insecticide

Based on chemical composition, it is classified as organic and inorganic.

Based on the mode of entry in the insects, it is classified as contact poisons, fumigant poisons, stomach poisons, and systemic poisons.

- Based on the mode of action, it is classified as physical poisons, nerve poisons, respiratory poisons, protoplasmic poisons, general poisons, and chitin inhibitors.
- Based on toxicity, it is classified into four types:
 - 1 Extremely toxic - Colour:red, symbol: skull and poison, oral LD50: 1-50
 - 2 Moderately toxic - Colour:blue, symbol: danger, oral LD50:501-5000

Visit Report

Skill Enhancement Group-I Of B.Sc. 3rd Year 6th Semester Visited To The Following Krushi kendras Located In Armori Town In Gadchiroli District.

- Wanmali krishi Kendra and cement agency, Armori
- Star krushi Kendra, Opposite Hitkarini Highshcool, Armori Bardi
- Advik Krushi Kendra, Old Bus Stop, Armori
- Baliraja Krushi Kendra, Fule Square, Armori

We Gathered Information From Krushi Kendras From Armori Town Regarding Farmers Using Various Insecticides, Pesticides And Herbicides.

The Purpose Of Visit Was To Know More About Insecticides , Their Effects Usage Guidelines, Etc.

In This Way We Have Visited Krushi Kendras to know chemical composition of the Insecticides. Krushi Kendra Shopkeeper Told Us A Lot About Insecticides and their use, side effects, compositions and various brands they have. In this way we have completed our skill enhancement project successfully.



Principal

Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli





Armori, Maharashtra, India
Fule Square, Armori, Maharashtra 441208, India
Lot 20.467917°
Long 79.985181°
30/07/21 12:45 PM



Armori, Maharashtra, India
NH353C, Tadulwar Nagar, Armori, Maharashtra 441208, India
Lat 20.468792°
Long 79.983863°
29/07/21 11:22 AM



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



- 3 Highly toxic - Colour:yellow, symbol: poison, oral LD50: 51-500
- 4 Less toxic - colour:green, symbol: caution, oral LD50: >5000
- Based on the stage of specificity, it is classified as ovicides, pupicides,larvicides,andadulticides.

▪ **Types of insecticides**

There are three types of insecticides. They are-

- **1 Systemic** - This type of insecticide is introduced into the soil for it to get absorbed by the plants roots. Once the insecticide enters the roots, it moves to external areas such as leaves, fruits, twigs, and branches. It forms a layer on the plant surface area and acts as a poison to any insect that comes to chew the plant.
- **2 Ingested** - Some examples of ingested pesticides are rat and roach.
- **3 Contact** - These type of insecticides act like bullets that aim only at a particular target to kill insects by its

Conclusion

The purpose of this research was to identify effective and famous brands of insecticides use by farmers in Gadchiroli district. Based on the results , it was concluded that organophosphates containing insecticides are commonly used insecticides in area for several crop disease by land owners and farmers.

In our recent survey on various types of insecticides use by the farmers in gadchiroli district, we observe that there are various brands of insecticides like yavalkar, ferterra, danitol ,nagarjuna insecticides are famous in market. People are using organic insecticide brands like bavistin in addition to regular chemical brands.

Group – II



Affiliated to
GONDWANA UNIVERSITY, GADCHIROLI
PROJECT REPORT
SESSION 2020- 2021

DEPARTMENT OF CHEMISTRY
SKILL ENHANCEMENT COURSE
B.sc. (CHEMISTRY) SEM. VI

Topic : survey on different types of pesticides in agriculture used by farmer in Armori tahasil

In partial fulfillment of three years full-time graduation degree program

UNDER THE GUIDENCE OF

Dr. S.S. KOLA
(ASSISTANT PROFESSOR)

PROF. S. M. SONTAKKE
(H.O.D. OF CHEMISTRY DEPARTMENT)


Dr. N.D. BANSOD
(ASSISTANT PROFESSOR)

SUBMITTED BY

Group – II





KU. PRACHI VENUNATH KALBADHE
(GROUP LEADER)




GROUP - II

DECLARATION

I hereby declare that the matter embedded in this project entitled "survey on different types of pesticides in agriculture used by farmer in Armori tahasil" is genuine work carried out with my group members under the guidance of PROF. S. M. SONTAKKE, Department of Chemistry, M. G. College, Armori. The work presented in this is thesis is original and has not been submitted for any other degree or diploma.

Sr.	Student Name	Sign
1	Prachi Venunath Kalbandhe	
2	Pallavi Babulal Madavi	
3	Chandani Ghanshyam Jumnae	
4	Sonam Damodhar Kunghadkar	
5	Pallavi Rajendra Ingale	
6	Heena Ramesh Undirwade	
7	Prajakta Ashok Lade	
8	Poonam Lomesh Lonare	
9	Akshay Waman Madavi	
10	Subhash Goverdhan Kule	




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Gadchiroli


Head
Department of Chemistry
M.G. Art & Science & Late H. P. Commerce
College, Armori, Dist. Gadchiroli

SKILL ENHANCEMENT COURSE

CERTIFICATE

This is certified that "GROUP-II" of chemistry department satisfactorily completed the project work on the topic "survey on different types of pesticides in agriculture used by farmer in Armori tahasil". As fulfillment for the degree of bachelor of science (B.Sc.) sem. VI during the academic session 2020-2021.



Head of Department (chemistry)

Prof. S. M. Sontakke




Project head

1) Dr. Satish Kola

2) Dr. Naresh Bansod

DATE: 05/08/2021

PLACE: Armori




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



Introduction

Pesticides are chemicals designed to kill or control insects, weeds, fungi, rodents and microbes. Many pesticides have been found to be harmful to human and animal health or to the environment. Pesticide is any substance used to kill, repel, or control certain forms of plant or animal life that are considered to be pests. Pesticides include herbicides for destroying weeds and other unwanted vegetation, insecticides for controlling a wide variety of insects, fungicides used to prevent the growth of molds and mildew, disinfectants for preventing the spread of bacteria, and compounds used to control mice and rats. Because of the widespread use of agricultural chemicals in food production, people are exposed to low levels of pesticide residues through their diets. Scientists do not yet have a clear understanding of the health effects of these pesticide residues. Results from the Agricultural Health Study, an ongoing study of pesticide exposures in farm families, show that farmers who used agricultural insecticides experienced an increase in headaches, fatigue, insomnia, dizziness, hand tremors, and other neurological symptoms. Evidence suggests that children are particularly susceptible to adverse effects from exposure to pesticides, including neurodevelopmental effects.

Any substance or mixture of substances intended for preventing, destroying, or controlling any pest, including vectors of human or animal disease, unwanted species of plants or animals, causing harm during or otherwise interfering with the production, processing, storage, transport, or marketing of food, agricultural commodities, wood and wood products or animal feedstuffs, or substances that may be administered to animals for the control of insects, arachnids, or other pests in or on their bodies. The term includes substances intended for use as a plant growth regulator, defoliant, desiccant, or agent for thinning fruit or preventing the premature fall of fruit. Also used as substances applied to crops either before or after harvest to protect the commodity from deterioration during storage and transport.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli




(1) CORAGEN

Chlorantraniliprole 18.5% Sc

Chlorantraniliprole is active on chewing pest insects primarily by ingestion and secondarily by contact. ... Chlorantraniliprole 18.5% SC having the trade name Coragen.

Chlorantraniliprole (Rynaxypyr) is an insecticide of the ryanoid class.[1] Chlorantraniliprole is being developed world-wide by DuPont belonging to a new class of selective insecticides featuring a novel mode of action to control a range of pests belonging to the order Lepidoptera and some other Coleoptera, Diptera and Isoptera species.



Discription ON OF CHEMICAL

Chemical Name: 3-Bromo-N-[4-chloro-2-methyl-6-(methylcarbamoyl)phenyl]-1-(3-chloro-2-pyridine-2-yl)-1H-pyrazole-5-carboxamide

Chemical formula: C₁₈H₁₄BrCl₂N₅O₂
Empirical Formula:- C₁₈H₁₄N₅O₂BrCl₂
Common Name: Chlorantraniliprole
Experimental Name: DPX-E2Y45

Properties

Molar mass :- 483.15 g·mol⁻¹
Melting point :- 209 °C
EPA PC Code: 090100
Class: Anthranilic diamide insecticide
Mode of Action: Interruption of normal muscle contraction

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



USE PATTERNS AND FORMULATIONS

Pests/Application Sites: - beetles, caterpillars, etc.
Application Rates:- Seasonal Maximum:
Food Crops- 0.2 lb a.i./acre (rice- 0.13 a.i./acre/year)
Ornamentals - highly variable, range between 0.33 to 0.5 lb a.i./acre

Types of Formulations/ Product Names:-

Technical: - DuPont Rynaxypyr Technical (95.3% a.i.) End Use (Agricultural Uses):

Used for


CORAGEN Broad Spectrum Insecticide is used to control pesticides like caterpillar, American boll worm, fruit borer, shoot borer, leaf folder, heliothis in different crops like rice, cabbage, cotton sugarcane, tomato, chilli, soyabean, Brinjal pigeon pea (red g), Bengal g, black g, bitter guard, and okra can be used to ...

Side effects

toxicity Coragen has low acute toxicity by the oral, dermal and inhalation routes in the rat. It was non-irritating to the skin or to the eyes of the rabbits. Results of skin sensitization testing were negative in the local lymph node assay (LLNA) in the mouse.

Dupont FMC Brand product overview

Coragen® insecticide insect control powered by Rynaxypyr® active is a break through Group 28 mode of action insecticide that delivers excellent protection from target pests. This break through technology controls all economically important Lepidoptera & select others species. This unique formulation provides ease for application along with rapid activity, high insecticidal potency, long duration control and an excellent safety to crops & non-target organisms. Working primarily through ingestion, Coragen® insecticide manages insects at all stages from immature to adult stage thereby, providing excellent and long-lasting crop protection. Exposed insects stop feeding within minutes and extended residual activity protects crops longer than competitive options. Among the solutions available to the growers it boasts of having one of the widest label claims on various crops and has been the best choice among growers to manage leps in the target crops.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli




Precautions

- KEEP OUT OF REACH OF CHILDREN.
- Wear long sleeves, long pants and chemical resistant gloves while mixing /loading, and during clean up and repair.
- Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- For agricultural uses, do not enter or allow worker entry into treated areas during the restricted entry interval of 12 hours.

storage and handling

- Store product in original container only, away from other pesticides, fertilizer, food or feed. Not for use or storage in or around the home. Keep container closed. To prevent contamination, store this product away from food or feed.
- Do not store or consume food drink or tobacco in area where they become contaminated with this material.
- the insecticide in original container only, tighy closed in well built, cool dry place, well it and ventilated and3 should be sufficient dimensions to avoid contamination with vapour.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



(6) Larviside

A larvicide is a type of insecticide used to control mosquitoes indoors and outdoors around your home. They work by killing mosquito larvae before they can grow into adults. ... When used according to product label instructions, larvicides do not harm people, pets, or the environment.



Larvicide its use and side effect

(1) Outdoors

100% organic larvicide 125 ml dosage 4-5ml per liter of water and spray give 7-10 days for each spray. Control root borer, shoot borer, fluid borer, stem borer, and many more pests. It also has micro nutrients growth promoter which help the plant to flower and grow.

Side effect:-


Apiaceae, Biosafety, gambusia affinis, heracleum, sprengelium, mosquito non target effect.

(2) Indoor

When used as bit is not toxic to people it has not been shown to make people sick bit will not harm people, pets and other animals, aquatic life or other insect.

Side effect

A deadly chemical that targets baby mosquito is much more effective. When attacking Zika virus than traditional insecticides. When the first case of locally transmitted Zika virus was reported in South Florida.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,




Use of personal protective equipment (PPE)

Personal protective equipment (PPE) is the least effective risk control measure providing a barrier between the worker and the hazard. personal protective equipment for the work with PPPs includes:

1. Head protection.
2. face protection.
3. Respiratory protection.
3. Protective gloves.
4. Protective clothes.
5. footwear.

The main requirements for the use of PPE are following:

1. Protective equipment should be in a good condition and fit well.
2. Filter or cartridge of respiratory equipment should be changed at the specified time.
3. Gloves must be protective, fit the hands comfortably and be flexible enough to grip PPP containers firmly.
4. Gloves and boots should be washed before removal in order to avoid self-contamination.
5. The clothes should be resistant against the PPPs used and washable.
6. Garments should be washed separately from other clothes.
7. Protective clothing should be stored in a clean, dry and well-ventilated room separated from other clothing or living accommodation.
8. Contamination of work clothes through/by protective equipment should be avoided.
9. Personal protective equipment should be used even on a hot and humid day.
10. Generally, the Safety Data Sheet of a PPP may be helpful in selecting the proper PPE.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Akhori, Dist - Gadchiroli



Conclusions

We inquired about Pesticides in the nearest Krushi Kendra and got some suggestions from the shoper. Pesticides are a wide range of substances that are used to gain an advantage over species that cause diseases or are pests in agriculture, forestry, or horticulture. However, the use of many pesticides carries risks of causing damage to human health or the environment. Pesticides have become an integrated component of most of the intensive systems by which foods and other crops are grown, and there are not yet good replacements for all of their uses. For this reason, the use of pesticides will continue into the foreseeable future. Use fo pesticide is nmcreasing day by day but now a day scenario is changing towards organic farming variety of pesticide are using by farmer by Brand name Ekka, Benomy1 500wp, Dupont FMC, Cannoth.


Principal
Mahatma Gandhi Arts,
Science & Late
M. P. Commerce College,
Armor, Dist - Gadchiroli



Group – III



Affiliated to
GONDWANA UNIVERSITY, GADCHIROLI
PROJECT REPORT

SESSION 2020-2021

DEPARTMENT OF CHEMISTRY
SKILL ENHANCEMENT COURSE
B.Sc.(CHEMISTRY)SEM.VI

**Topic: Types of herbicides in agriculture used by farmer
in Armori Tehsil.**

In partial fulfillment of three years full-time graduation degree program

UNDER THE GUIDENCE OF

Dr. S.S.KOLA
(ASSISTANT PROFESSOR)

PROF. S.M. SONTAKKE
(H.O.D. OF CHEMISTRY DEPARTMENT)

Dr.N.D.BANSOD
(ASSISTANT PROFESSOR)

SUBMITTED BY

Group-III

KU. SONALI MANOHAR SHAHARE
(GROUP LEADER)




SKILL ENHANCEMENT COURSE

CERTIFICATE

This is certified that “**GROUP-III**” of chemistry department satisfactorily completed the project work on the topic “survey of various herbicides their composition and comparative study within Armori Town”. As fulfillment for the degree of bachelor of science (B.Sc.) sem.VI during the academic session 2020-2021.

Head of Department(chemistry)


Prof. S.M. Sontakke
Head
Department of Chemistry
M.G. Art & Science & Late N. P. Commerce
College, Armori, Dist. Gadchiroli


Project head

1)Dr. Satish Kola

2)Dr. Naresh Bansod

DATE: 5/8/2021



PLACE: Armori


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



DECLARATION

I hereby declare that the matter embedded in this project entitled "Types of herbicides in agriculture used by farmers in Armori Tehsil." Is genuine work carried out with my group members under the guidance of PROF.S.M.SONTAKKE ,Department of Chemistry , M.G. College ,Armori. The work presented in this is thesis is original and has not been submitted for any other degree or diploma.

SR. NO.	STUDENTS NAME	SIGNATURE
1	KU. SONALI MANOHAR SHAHARE (GROUP LEADER)	
2	KU. PRIYANKA ARUN JUARE	
3	KU. RESHAMA RAJEEV VAKKAYIL	
4	KU. SEEMA SHRIDHAR SHIWANKAR	
5	KU. SHRADHA MAHADEV WADHAI	
6	KU. PAYAL RAJESHWAR MANE	
7	KU. PRANJALI RAJKUMAR YENUGWAR	

DATE:

PLACE: Armori



ACKNOWLEDGEMENT


I take this opportunity to express my profound gratitude and deep regards to my guide Prof. S.M. SONTAKKE(H.O.D.) of chemistry, M.G. College, Armori for his exemplary guidance, monitoring and constant encouragement throughout the course of this project. The blessings, help and guidance given by him time to time shall carry me in the journey of our life on which I am about to embark.

I am extremely thankful to Dr.S.S.KOLA and Dr.N.D.BANSOD (assistant professor)of chemistry department of the college,for their timely help.

I also express a deep sense of gratitude to the Dr. L.H.KHALSA Principal of M.G.College,Armori for giving me this opportunity and for providing me all the required facilities in chemistry department.

Lastly, I thank Almighty, my parents and friends for their constant encouragement without which is project would not be possible.


Sonali M. Shahare


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



INTRODUCTION

HERBICIDE also commonly known as weedkillers, are substances used to control unwanted plants.[1] Selective herbicides control specific weed species, while leaving the desired crop relatively unharmed, while non-selective herbicides (sometimes called total weedkillers in commercial products) can be used to clear waste ground, industrial and construction sites, railways and railway embankments as they kill all plant material with which they come into contact. Apart from selective/non-selective, other important distinctions include persistence (also known as residual action: how long the product stays in place and remains active), means of uptake (whether it is absorbed by above-ground foliage only, through the roots, or by other means), and mechanism of action (how it works). Historically, products such as common salt and other metal salts were used as herbicides, however these have gradually fallen out of favor and in some countries a number of these are banned due to their persistence in soil, and toxicity and groundwater contamination concerns. Herbicides have also been used in warfare and conflict.

Modern herbicides are often synthetic mimics of natural plant hormones which interfere with growth of the target plants. The term organic herbicide has come to mean herbicides intended for organic farming. Some plants also produce their own natural herbicides, such as the genus *Juglans* (walnuts), or the tree of heaven; such action of natural herbicides, and other related chemical interactions, is called allelopathy. Due to herbicide resistance – a major concern in agriculture – a number of products combine herbicides with different means of action. Integrated pest management may use herbicides alongside other pest control methods.

In the United States in 2012, about 91% of all herbicide usage, determined by weight applied, was in agriculture.[2]:12 In 2012, world pesticide expenditures totaled nearly \$24.7 billion; herbicides were about 44% of those sales and constituted the biggest portion, followed by insecticides, fungicides, and fumigants.[2]:5 Herbicide is also used in forestry,[3] where certain formulations have been found to suppress hardwood varieties in favor of conifers after clearcutting,[4] as well as pasture systems, and management of areas set aside as wildlife habitat.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armor, Dist - Gadchiroli



History


Prior to the widespread use of herbicides, cultural controls, such as altering soil pH, salinity, or fertility levels, were used to control weeds.[5] Mechanical control (including tillage) was also (and still is) used to control weeds.

• First herbicides

2,4-D, the first chemical herbicide, was discovered during the Second World War.

Although research into herbicides began in the early 20th century, the first major breakthrough was the result of research conducted in both the United Kingdom and the United States during the Second World War into the potential use of herbicides in war.

The first modern herbicide, 2,4-D, was first discovered and synthesized by W. G. Templeman at Imperial Chemical Industries. In 1940, he showed that "Growth substances applied appropriately would kill certain broad-leaved weeds in cereals without harming the crops." By 1941, his team succeeded in synthesizing the chemical. In the same year, R. Pokorny in the US achieved this as well.]



THE FIRST HERBICIDES 2,4-D WAS DISCOVERED BY W.G. TEMPLEMAN

Independently, a team under Juda Hirsch Quastel, working at the Rothamsted Experimental Station made the same discovery. Quastel was tasked by the Agricultural Research Council (ARC) to discover methods for improving crop yield. By analyzing soil as a dynamic system, rather than an inert substance, he was able to apply techniques such as perfusion. Quastel was able to quantify the influence of various plant hormones, inhibitors and other chemicals on the activity of microorganisms in the soil and assess their direct impact on plant growth. While the full work of the unit remained secret, certain discoveries were developed for commercial use after the war, including the 2,4-D compound.

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



Non-selective herbicides are not specific in acting against certain plant species and control all plant material with which they come into contact. They are used to clear industrial sites, waste ground, railways, and railway embankments. Paraquat, glufosinate, and glyphosate are non-selective herbicides.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



➤ Timing of application

Preplant: Preplant herbicides are nonselective herbicides applied to soil before planting. Some preplant herbicides may be mechanically incorporated into the soil. The objective for incorporation is to prevent dissipation through photodecomposition and/or volatility. The herbicides kill weeds as they grow through the herbicide treated zone. Volatile herbicides have to be incorporated into the soil before planting the pasture. Agricultural crops grown in soil treated with a preplant herbicide include tomatoes, corn, soybeans, and strawberries. Soil fumigants like metam-sodium and dazomet are in use as preplant herbicides.[9]

Preemergence: Preemergence herbicides are applied before the weed seedlings emerge through the soil surface. Herbicides do not prevent weeds from germinating but they kill weeds as they grow through the herbicide treated zone by affecting the cell division in the emerging seedling. Dithiopyr and pendimethalin are preemergence herbicides. Weeds that have already emerged before application or activation are not affected by pre-herbicides as their primary growing point escapes the treatment.[9]

Postemergence: These herbicides are applied after weed seedlings have emerged through the soil surface. They can be foliar or root absorbed, selective or nonselective, and contact or systemic. Application of these herbicides is avoided during rain since being washed off the soil makes it ineffective. 2,4-D is a selective, systemic, foliar absorbed postemergence herbicide.[9]

➤ Method of application

Soil applied: Herbicides applied to the soil are usually taken up by the root or shoot of the emerging seedlings and are used as preplant or preemergence treatment. Several factors influence the effectiveness of soil-applied herbicides. Weeds absorb herbicides by both passive and active mechanisms. Herbicide adsorption to soil colloids or organic matter often reduces its amount available for weed absorption. Positioning of the herbicide in the correct layer of soil is very important, which can be achieved mechanically and by rainfall. Herbicides on the soil surface are subjected to several processes that reduce their availability. Volatility and photolysis are two common processes that reduce the availability of herbicides. Many soil applied herbicides are absorbed through plant shoots while they are still underground leading to their death or injury. EPTC and trifluralin are soil applied herbicides.[9]

Foliar applied: These are applied to portion of the plant above the ground and are absorbed by exposed tissues. These are generally postemergence herbicides and can either be translocated (systemic) throughout the plant or remain at specific site

➤ Persistence



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli




of dicot plants. 2,4-D, 2,4,5-T, and Aminopyralid are examples of synthetic auxin herbicides.

Photosystem II inhibitors reduce electron flow from water to NADP⁺ at the photochemical step in photosynthesis. They bind to the Q_b site on the D1 protein, and prevent quinone from binding to this site. Therefore, this group of compounds causes electrons to accumulate on chlorophyll molecules. As a consequence, oxidation reactions in excess of those normally tolerated by the cell occur, and the plant dies. The triazine herbicides (including atrazine) and urea derivatives (diuron) are photosystem II inhibitors.[11]

Photosystem I inhibitors steal electrons from ferredoxins, specifically the normal pathway through FeS to Fdx to NADP⁺, leading to direct discharge of electrons on oxygen. As a result, reactive oxygen species are produced and oxidation reactions in excess of those normally tolerated by the cell occur, leading to plant death. Bipyrindinium herbicides (such as diquat and paraquat) inhibit the FeS to Fdx step of that chain, while diphenyl ether herbicides (such as nitrofen, nitrofluorfen, and acifluorfen) inhibit the Fdx to NADP⁺ step.

HPPD inhibitors inhibit 4-hydroxyphenylpyruvate dioxygenase, which are involved in tyrosine breakdown.[12] Tyrosine breakdown products are used by plants to make carotenoids, which protect chlorophyll in plants from being destroyed by sunlight. If this happens, the plants turn white due to complete loss of chlorophyll, and the plants die.[13][14] Mesotrione and sulcotrione are herbicides in this class; a drug, nitisinone, was discovered in the course of developing this class of herbicides.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



❖ VISIT TO KISAN AGRICULTURAL CENTER



We are the student from B.Sc III. We were visited to kisan Agricultural Center in Armori for gathering and survey of some information about herbicides. Under the guidance of Prof.S.M.SONTAKKE.

The purpose of visit that we wanted to know about herbicides which are used by farmer in Armori Tehsil. We visited among 2-3 agricultural center.

In It they given a information knowledge about some mainly used herbicides, their uses, composition and brief information about it.

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



Kisan agricultural center.



NIRANKARI AGRICULTURAL CENTER



TIRUPATI AGRICULTURAL CENTER.



[Signature]
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armodi, Dist - Gadchiroli

➤ List of common herbicides

- **Brand Name: Gajab(PLANT GROWTH REGULATOR)**

- Product Category : Agrochemicals,
- Chemical Name : GIBBERELIC ACID (TECHNICAL)
- Group : Plant Hormone GA3
- Formulation :GR- granules
- Description : Essential Plant hormone that helps plant functioning right from germination to Flowering and fruiting. It helps increase yield and also fights against stress and physiological diseases.

- **CHEMICAL COMPOSITION**


- Gibberline acid(based on purity100%), Protein (hydrolyzed)2.500%, Yeast extract seaweeds(marina brown algae extract)3.000%, $FeSO_4 \cdot 7H_2O$ (min.95%)2.300%, $MnSO_4 \cdot 3H_2O$ 1.400%, $ZnSO_4 \cdot 7H_2O$ 3.900%, $MgSO_4 \cdot 7H_2O$ 4.300%, Emulsifier Tween 80 1.000%, solvent (water) 100.000%.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armorī, Dist - Gadchiroli



- manufacturing date: 20/01/2021
- expiry date: 01/01/2023



[Handwritten signature]

Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Armori, Dist - Gadchiroli



HERBICIDE

BLAID

PRETILACHLOR 50% EC



Pretilachlor 50% EC is a selective pre-emergence broad spectrum herbicide with excellent action against annual grasses, sedges and broad leaved weeds.

Recommendation :

Crops)	Weeds	Dose/Acre (ml)	Water Required/Acre (in Litres)
Transplanted rice	Echinochloa crusgalli, Echinochloa colonum Cyperus difformis, Cyperus iria, Fimbristylis milacea, Eclipta alba, Ludwigia Parviflora Leptochloa chinensis, Monochorea vaginalis panicum repens	400-500	200-300

Chemical Composition :

Pretilachlor a.i- Min purity 94 % W/W a.i	50.00%w/w
Emulsifying agent- Ethoxylated vegetable oil	4.40%w/w
Wetting agent- Alkyl aryl sulphonate of calcium salt	3.60%w/w
Stabiliser- Epoxised vegetable oil	3.00%w/w
Solvent C-IX	Q.S to make
Total	100.00%w/w

Antidote :

No specific Antidote is known. Treat symptomatically.



GHARDA CHEMICALS LIMITED

(Handwritten Signature)

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



❖ CONCLUSION

Group (III) of chemistry project title "*Types of herbicides in agriculture used by farmer in Armori Tehsil*". Visited to various agricultural center in Armori town. We gathered information regarding different herbicides using farmer of Armori on various Weeds. Nowadays use of herbicides by the farmer increasing to destroy unwanted plants. Some organic cost effective herbicides are present which can be used as fertilizers as well as herbicides in present scenerio to save environment . From survey it is observed that herbicides Nominee Gold is frequently using than the rest of herbicides.


Principal
Mahatma Gandhi Arts,
Science & Late
N P. Commerce College,
Armori, Dist - Gadchiroli



Project Work B.Sc. III (Botany)

BOTANY Ethnobotany

BSC SEM VI BOTANY FOR SKILL ENHANCEMENT COURSE 2020-2021
 Out of 15 Total 50

S.N.	Name of student	Out of 35 M	Theory	50
1	GARMALE VISHAL SHALIKRAM	34 ✓	14 ✓	48
2	DAHAKAR MOHIT ANIL	34 ✓	14 ✓	48
3	NAKHATE PRIYANKA RAJESHWAR	34	14 ✓	48
4	BORKUTE VISHAKHA YASHWANT	34	14 ✓	48
5	SATELWAR AKANKSHA SHRIKANT	32	12 ✓	44
6	BHARNE SONALI RAMESH	32	11 ✓	43
7	BHOYAR VAISHNAVI KALIDAS	33	12 ✓	45
8	BHORE SWATI SOMAJI	32	12 ✓	44
9	NAGAPURE LAXMI SANTOSH	33	12 ✓	45
10	NIMKAR KESHAR OMNATH	32	12 ✓	44
11	PATIL MINAL SANJAY	33	12 ✓	45
12	DURUGKAR KHUSHBU DNYANESHWAR	32	12 ✓	44
13	BOGA KAILAS RAMDAS	32	10 ✓	42
14	BORKAR NIKHITA MUNNA	33	11 ✓	44
15	BORULE NIKHIL DAVINDRA	32	11 ✓	43
16	DHOLANE PRAGATI NRUPNATH	32	12 ✓	44
17	MESHRAM AKANKSHA PRAKASH	32	12 ✓	44
18	MESHRAM VAISHNAVI ASHOK	32	12 ✓	44
19	MHASHAKHE TRAI DIMPAL VISHWANATH	32	12 ✓	44
20	NANNAWARE SAURAV NANAJI	32	10 ✓	42
21	PATEL BHUMIKA RAMCHANDRA	33	13 ✓	46
22	RAUT NIKHIT KALIDAS	33	11 ✓	44
23	DUPARE ASHWIN GAJANAN	32	11 ✓	43
24	CAWALE VIKRAM YASHWANT	32	11 ✓	43
25	GAYAKWAD VISHAKHA VILAS	33	13 ✓	46
26	TUPAT PUJA ASARAM	33	12 ✓	45
27	WAZE YUGANT SURESH	32	10 ✓	42

Ethnobotany



Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Armori, Dist - Gadchiroli

- Hajduk -
 Prof. Seema Hajduk
 HEAD
 Dept. of Botany
 M. G. College, Armori. Head, Dept. of Botany

Project Work B.Sc. III (Zoology)

BSC SEM VI ZOOLOGY FOR SKILL ENHANCEMENT COURSE

202021

S.N.	Name of student	Total Marks	S1	P1
1	PELANE KOMAL VINAYAK	46	14	32
2	PENDAM GOURAV BHAGWAN	47	13	34
3	PRADHAN ULHAS UDDHAV	47	13	34
4	PRADHAN YASHASHRI CHANDU	46	12	34
5	QURESHI NAZFATIMA NASIR AHMAD	45	13	32
6	RAMTEKE SNEHA SAGAR	48	14	34
7	RAUT DIPTI GOPAL	47	13	34
8	RAUT VISHAKHA AJAY	45	14	31
9	ROHANKAR ACHAL GURUDEO	47	13	34
10	SAPATE PUJA NILKANTH	46	12	34
11	SARVE ANKITA DADAJI	48	14	34
12	DONADKAR KALYANI HARIDAS	47	13	34
13	DONGARE SWATI AVINASH	45	13	32
14	DUMANE ASHWINI RAMESH	48	14	34
15	GARFADE ANKITA DOCTOR	45	13	32
16	GONNADE RAKHI RAVINDRA	32	10	22
17	HARGULE HEMANT DONUJI	46	14	32
18	KAMBALE KAVERI PURUSHOTTAM	46	13	33
19	KARANKAR CHHABINA SURESH	31	11	20
20	KAWALE HINA VINAYAK	47	14	33
21	KOPULWAR ARTI VASANT	46	13	33
22	KOTNAKE AJAY DURVESH	47	14	33
23	KULMETHE KAJAL JAGANNATH	47	13	34
24	MANDAPE DIKSHA DEWAJI	46	12	34
25	SELOKAR PRAGATI DILIP	46	14	32
26	SHIURKAR KAJAL SHANTARAM	47	14	33
27	SONWANE PRIYANKA ZINGAR	33	13	20



(Signature)
HEAD
Dept. of Zoology
M. G. College, Armori

(Signature)
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

Project Work B.Sc. III (Physics) Group I

**MAHATMA GANDHI ARTS ,SCI & LATE N. P.COMMERCE
COLLEGE, ARMORI**



SKILL ENHANCEMENT COURSE

**PROJECT - PHYSICS
B.Sc- III RD YEAR (SEM- V)
SUBJECT – PHYSICS
SESSION- 2020-2021**

Head of Department – Dr. R. M. THOMBRE

Sign of Head

GROUP MEMBER

ACHAL R. SAHARE
DEVESHRI S. RAGHORTE
MADHURI P. SARKAR
MANISH G. FAPANWADE
YDNESH V.GANGAVE

SIGNATURE

Achale
Devshri
Madhuri
Manish
Ydnesh



Introduction of Measurement

Measurement is the basis of all the scientific study and experimentation. It plays an important role in our daily life. Physics is a quantitative science and physicists always deal with numbers which are the measurement of physical quantities.

Measuring units:

A physical quantity is a quantity that can be measured.

Length, time, mass and temperature are the fundamental physical quantities. These can be measured directly using suitable measuring instruments.


1) Length is a measure of the distance between two points which is measured using a ruler or a measuring tape.

2) Time is the interval between two events which is measured using a clock.

3) Mass of a body is the amount of matter contained in it and is measured with the help of a balance.

4) Temperature is a measure of the degree of hotness of a body and is measured with a thermometer.





Principal

Mahatma Gandhi Arts
Science & Lab

N. P. Commerce College,
Armoor

The measure of every physical quantity requires a unit. A unit is the standard quantity with which unknown quantities are compared. One of the standard sets of units used to measure the fundamental physical quantities length, time, mass and temperature is called the SI system of units or the standard international system of units.

Teacher's Signature _____

NO.	Quantity	Symbol	Dimensions	Units
1)	length	L	[L]	metre (m)
2)	mass	M	[M]	kilogram (kg)
3)	Time	T	[T]	second (s)
4)	current	I	[I]	Ampere (A)
5)	Temperature	T	-	Kelvin degrees
6)	Area	A	[L ²]	m ²
7)	volume	V	[L ³]	m ³
8)	wavelength	λ	[L]	m
9)	Displacement	S	[L]	m
10)	velocity	v	[LT ⁻¹]	m/s
11)	Acceleration	a	[LT ⁻²]	m/s ²
12)	Momentum	P	[MLT ⁻¹]	kg·m/s
13)	Force	F	[MLT ⁻²]	Newton (N), kg·m/s ²
14)	Work	W	[ML ² T ⁻²]	Joule (J)
15)	Energy	E	[ML ² T ⁻²]	J
16)	Power	P	[ML ² T ⁻³]	watt (W), J/s
17)	Density	ρ	[ML ⁻³]	kg/m ³
18)	Period	T	[T]	s
19)	Frequency	f, ν	[T ⁻¹]	hertz (Hz)
20)	Angular Displacement	θ	-	radian (rad)
21)	Angular velocity	ω	[T ⁻¹]	rad/s
22)	Angular speed and Angular Frequency	ω	[T ⁻¹]	rad/s
23)	Angular momentum	L	[ML ² T ⁻¹]	kg·m ² /s
24)	Angular Acceleration	α	[T ⁻²]	rad/s ²
25)	Torque.	τ	[ML ² T ⁻²]	N·m
26)	Rotational inertia	I	[ML ²]	kg·m ²
27)	Gravitational field strength	g	[LT ⁻²]	N/kg

Teacher's Signature _____

No.	Quantity	Symbol	Dimension	Units.
27]	Pressure	P	$[ML^{-1}T^{-2}]$	N/m^2
28]	Entropy	S	$[ML^2T^{-2}]$	J/K
29]	Internal energy	U	$[ML^2T^{-2}]$	J
30]	Heat	Q	$[ML^2T^{-2}]$	J
31]	charge	Q	$[IT]$	coulomb (C)
32]	voltage	V	$[ML^2T^{-3}I^{-1}]$	volt (V)
33]	Resistance	R	$[ML^2T^{-3}I^{-2}]$	ohm (Ω)
34]	Resistivity	ρ	$[ML^3T^{-3}I^{-2}]$	$\Omega \cdot m$
35]	Electromotive force	e	$[ML^2T^{-3}I^{-1}]$	V
36]	Gravitational field strength	g	$[LT^{-2}]$	N/kg
37]	Electric field strength	E	$[MLT^{-3}I^{-1}]$	$N/C, V/m$
38]	Gravitational potential	v	$[L^2T^{-2}]$	J/kg
39]	Electric potential	V	$[ML^2T^{-3}I^{-1}]$	V
40]	capacitance	C	$[M^{-1}L^{-2}T^4I^2]$	Farad (F)
41]	Inductance	L	$[ML^2T^{-2}I^{-2}]$	henry (H)
42]	conductivity	G	$[M^{-1}L^{-3}T^3I^2]$	siemens/metre
43]	current density	j	$[IL^{-2}]$	A/m^2
44]	Electric dipole moment	P	$[LIT]$	$C \cdot m$
45]	Electric displacement	D	$[L^{-2}IT]$	C/m^2
46]	Electric polarization	P	$[L^{-2}IT]$	C/m^2
47]	Electric flux	ϕ_E	$[ML^3T^{-3}I^{-1}]$	Nm^2/C
48]	Magnetic dipole moment	μ	$[L^2I]$	$A \cdot m^2$
49]	magnetic field strength	H	$[L^{-1}I]$	A/m
50]	magnetic flux	ϕ_B	$[ML^2T^{-2}I^{-1}]$	weber (wb)

Teacher's Signature _____

Vernier Caliper :

A quick guide on how to read a vernier caliper. A vernier caliper outputs measurement readings in centimeters (cm) and it is precise up to 2 decimal places.

How to Read Vernier Caliper :

In order to read the measurement readings from vernier caliper properly you need to remember two things before we start for example if a vernier caliper outputs a measurement reading of 2.13 cm this means that

- 1) The main scale contributes the main number(s) and one decimal place to the reading i.e. 2.1 cm, where by 2 is the main number and 0.1 is the one decimal place to the reading.
- 2) To obtain the main scale reading look at the diagram 2.1 cm is to the immediate left of the zero on the vernier scale. Hence the main scale reading is 2.1 cm.
- 3) To obtain the vernier scale reading look at the image above and look closely for an alignment of the scale image above, the aligned line correspond to 3 Hence the vernier scale reading is 0.003.

Teacher's Signature _____


In order to obtain final measurement reading we will add the main scale reading and vernier scale reading together. This will give $2.1 \text{ cm} + 0.03 \text{ cm} = 2.13 \text{ cm}$

Observation

Sr No	Quantity	Main Scale	Vernier Scale	Fraction $n \times V.C$	Total $R = R + V.C$	Correction $R = R + n \times V.C$
1	length	2.5	12	12×0.5 $= 0.6 \text{ cm}$	$2.5 + 0.6$ $= 3.1 \text{ cm}$	3.1 cm
2	Diameter	0.7	15	15×0.05 $= 0.75$	$0.7 + 0.75$ $= 1.45$	1.45

Result :

Volume of cylinder $= V = 5.16 \text{ cm}^3$



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armo . Dist - Gadchiroli



Teacher's Signature _____

Screw Gauge:

The screw gauge is an instrument used for measuring accurately the diameter of a thin wire or the thickness of a sheet of metal. It consists of a U-shaped frame fitted with a screwed spindle which is attached to a thimble.

Parallel to the axis of the thimble a scale graduated in mm is engraved. This is called pitch scale. A sleeve is attached to a head of the screw.

The head of the screw has a ratchet which avoids undue tightening of the screw. On the thimble there is a circular scale known as head scale which is divided into 50 or 100 equal parts. When the screw is worked the sleeve moves over the pitch scale.

A stand with a plane end surface called the anvil is fixed on the 'U' frame exactly opposite to the tip of the screw. When the tip of the screw is in contact with anvil usually the zero of the head scale coincides with the zero of the pitch scale.

Pitch of the screw Gauge:

The pitch of the screw is the distance moved by the spindle per revolution. To find this, the distance advanced

Teacher's Signature _____

by the head scale over the pitch scale for a definite number of complete rotation of the screw is determined

The pitch can be represented as

$$\text{Pitch of the screw} = \frac{\text{Distance moved by screw}}{\text{No. of full rotations given}} \quad \text{--- (1)}$$

Least count of The Screw Gauge:

The least count (Lc) is the distance moved by the H.P of the screw when the screw is turned through 1 division of the head scale.

The least count can be calculated using formula

$$\text{least count} = \frac{\text{Pitch}}{\text{Total no. of divisions on circular scale}} \quad \text{--- (2)}$$

Sr No.	mm	n	(n x Lc) mm	Observed (mm) $D_0 = N + n(L.C)$	Corrected (mm) $D = D_0 + C$
1	0	58	0.58	0.58	0.6
2	0	56	0.56	0.56	0.58
3	0	57	0.57	0.57	0.59
4	0	57	0.57	0.57	0.59
5	0	56	0.56	0.56	0.58

length of wire = i] 31.3 cm ii] 31.3 cm iii] 31.3 cm

mean length of the wire = 31.3 cm = 0.313 m

mean diameter of the wire

$$= \frac{0.6 + 0.58 + 0.59 + 0.59 + 0.58}{5}$$

Teacher's Signature _____

$$\begin{aligned} &= 0.59 \text{ mm} \\ &= 0.59 \times 10^{-3} \text{ m} \\ &= 0.59 \times 10^{-5} \text{ m} \end{aligned}$$


$$Vol = \pi \left(\frac{D}{2} \right)^2 l$$

$$= \frac{22}{7} \times \frac{59}{2} \times \frac{59}{2} \times 0.313 \times 10^{-10} \text{ m}^3$$

$$= 856.077 \times 10^{-10} \text{ m}^3$$

$$= 8.561 \times 10^{-8} \text{ m}^3$$

$$= 8.561 \times 10^{-8} \text{ m}^3$$



Teacher's Signature

Teacher's Signature _____

Electrical and Electronical skill :

Use of Multimeter :

A Multimeter is an electronic instrument every electronic technician and engineers widely used piece of test equipment. Multimeter is mainly used to measure the three basic electrical characteristics of voltage, current and resistance. It can also be used to test continuity between two points in a electrical circuit. This post mainly introduces the basic information of multimeter.

Operation of Oscilloscope :

An Oscilloscope can be used to measure voltage. It does this by measuring the voltage drop across a resistor and in the process draws a small current. The voltage drop is amplified and used to deflect an electron beam in either the X horizontal or Y (vertical) axis using an electric field. The electron beam creates a bright dot on the face of the cathode ray tube (CRT) where it hits the phosphorus. The deflection due to an applied voltage can be measured with the aid of the calibrated lines on the graticule.

The deflection of the oscilloscope beam is proportional to the input voltage (ac or dc coupling). The amount of deflection (volts/division) upon the setting of the AMPL \rightarrow IV control for that channel.

Teacher's Signature _____

Two types of Multimeter :

1) Analog multimeter

2) Digital multimeter

1) Analog multimeter :

Are instruments that use to measure electrical quantities such as voltage, current, resistance, frequency and signal power.

Basic functionality includes measurement of potential in volts, resistance in ohms and current in ampere.

2) Digital multimeter :

A digital multimeter is a test tool used to measure two or more electrical values. Principally voltage (volts), current (amp) and resistance (ohms) it is a standard diagnostic tool for technician in the electrical industries.

Teacher's Signature _____

Working of Half Wave Rectifier:

During the positive half cycle the diode is under forward bias condition and it conducts current to RL (load Resistance). A voltage is developed across the load, which is same as the input AC signal of the positive half cycle.

Alternatively during the negative half cycle the diode is under reverse bias condition and there is no current flow through the diode only the AC input voltage appears across the load and it is the net result which is positive during the positive half cycle. The output voltage pulsates the DC voltage.

operation of Half-wave Rectifier:

PN Junction diode conducts only during the forward bias condition half wave rectifier uses the same principle as PN Junction diode and this converts AC to DC in a half-wave rectifier circuit a load resistance is connected in a series with the PN Junction diode.

Alternating current is the input of the half wave rectifier a step down transformer takes input voltage and the resulting output of the transformer is given to the load resistor and to the diode.

Teacher's Signature _____

Designing of basic gates:

1) AND gate:

The AND gate is an electronic circuit that gives a high output (1) only if all its inputs are high. A dot (\cdot) is used to show the AND operation i.e. $A \cdot B$. Bear in mind that this dot is sometimes omitted i.e. AB .

2) OR gate:

The OR gate is an electronic circuit that gives a high output (1) if one or more of its inputs are high. A plus (+) is used to show the OR operation.

3) NOT gate:

The not gate is an electronic circuit that produces an inverted version of the put at its output. It is also known as an inverter if the input variable is A , the inverted output is known as NOT A . This is also shown as ' A ' with a bar over the top as shown at the outputs the diagrams below show two ways that the NAND logic gate can be configured to produce a NOT gate it can also be done using NOR logic gates in the same way.

Teacher's Signature _____

4) NOR gate:

This is a NOT-OR gate which is equal to an OR gate followed by a NOT gate. The outputs of all NOR gates are low if any of the inputs are high the symbol is an OR gate with a small circle on output the small circle represents inversion

5) NAND gate:

This is a NOT-AND gate which is equal to an AND gate followed by a NOT gate. The outputs of all NAND gates are high if any of the inputs are low the symbol is an AND gate with a small circle on output the small circle represent inversion.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Amori, Dist - Gadchiroli

Teacher's Signature _____

Group II

MAHATMA GANDHI ARTS, SCI, & LATE N. P. COMMERCE
COLLEGE, ARMORI.



SKILL ENHANCEMENT COURSE

PROJECT – PHYSICS

B.Sc- III YEAR

SUBJECT – PHYSICS

SESSION -2020-21

Head of Department - **Dr. R.M THOMBRE SIR**

Sign Of Head

SR.NO.	GROUP MEMBER	SIGNATURE
1.	MAHESH RAMESH MESHARAM	
2.	NITIN NARAYAN NANDANWAR	
3.	RAGINI VINAYAK NIKURE	
4.	SANGHARSH BHIMRAO RAMTEKE	
5.	KRUNAL RAVINDRA HARSHE	



Ques 1

What are errors in measurement of quantity

Errors in measurement of quantity are as follows

- (i) Absolute error :- The amount of error in your measurement.
- (ii) Greatest possible error :- defined as a one half of the measuring unit
- (iii) Instrument error :- error caused by an inaccurate instrument or a poorly worded questionaire
- (iv) Margin of error :- an amount above and below your measurement
- (v) Measurement location error :- caused by an instrument being placed some when it should like a thermometer left a thermometer out in full sun.

(vi) Operator error:- human factor that cause error, like reading a scale in correctly.

(vii) Percent error:- Another way of expressing measurement error.

(viii) Percent error:-

$$\frac{\text{Measured value} - \text{actual value}}{\text{actual value}}$$

(ix) Relative error:- The ratio of the absolute error to the accepted measurement
 As a Formula that's

$$\epsilon_{\text{relative}} = \frac{\epsilon_{\text{absolute}}}{\epsilon_{\text{measured}}}$$




 Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Amori, Dist - Gadchiroli

Que 2

Define the precision and sensitivity
of the instrument

Precision of the instrument

- (i) precision is defined as the closeness between two or more measured value to each other
- (ii) suppose we weight the same box five times and get close results like 3.1, 3.2, 3.22, 3.4 and 3.0 then the measurement are precise
- (iii) It is the measurement of consistency or repeatability of measurement successive reading in an instrument not differ
- (iv) sensitivity of an instrument.

The sensitivity of an instrument is the changes of output divided by

change of the measured

As an example consider a pressure sensor that has a measurement range of 0-100 psi and output range of 0-5V. Its sensitivity is 0.05 V/psi .

It is the ratio of change in output of the instrument to change in output or measured variable.

A higher sensitivity indicates that the system can respond to even smallest input.

Ques 3

What are the advantages for the conventional multimeter for voltage measurement

- Advantages for conventional multimeter for voltage measurement

(i) It reduce reading and interpopulation errors.

(ii) The auto polarity function can prevent problems from connecting the meter to a test circuit with the wrong polarity

(iii) parallel error are eliminated

(iv) The reading speed is increased as it easier to read.

(v) Digital output is suitable for further processing or recording and can be

in a rapidly increasing range of computer controlled applications

(vi) Accuracy is increased due to digital readout

(vii) The auto-ranging feature of digital multimeter helps in selecting different measurement ranges

(viii) portable size makes it easy to carry anywhere

(ix) It cause less meter loading effect on the circuit being tested

(x) some advanced digital multimeter have microprocessors and can store then reading for further processing

(xi) It have very high input impedance

Ques 4

Define amplifier rectifier and oscillator

Amplifier:-

An electronic device for increasing the amplitude of electrical signals used chiefly in sound reproduction.

The power amplifier works as converting the DC power drawn from supply into an AC voltage signal delivered to the load. Although efficient the amplification is high the conversion from the DC power supply from the power supply input to the voltage signal output is usually power.

Rectifier:-

An electrical device which converts an alternating current into a direct one by allowing a current to flow through it in one direction only.

A rectifier is an electrical device composed of one or more diodes that convert alternating current (AC) to direct current (DC). A diode is like a one-way valve that allows an electric current to flow in only one direction.

Oscillator:-

A device for generating oscillator electric current or voltage by non-mechanical means.

An oscillator is a circuit which produces a continuous or aperiodic alternating wave form without any input oscillations without any output oscillations basically convert unidirectional current flow from a D.C. source into an alternating waveform which is of a desired frequency decided by its circuit components.

Que. 6

What is cathode ray oscilloscope? Draw block diagram of CRO

Cathode ray oscilloscope (CRO):-

The cathode ray oscilloscope is a common laboratory instrument that provides accurate time and amplitude measurement of voltage signals over a wide range of frequencies.

Its reliability, stability and ease of operation make it suitable as a general purpose laboratory instrument.

It consists of a following parts, with the help of these we draw block diagram of CRO.



Principal
Mahatma Gandhi Arts,
Science & Late
N.P. Commerce College,
Amravati - Gadchiroli

Que. 7

Comparison of digital and analog instrument

Comparison of digital and analog instrument are as follows:

Digital instrument	Analog instrument
(i) The instrument which give output that varies in discrete steps and only has finite no. of value its known as digital instrument.	The instrument which give output that continuously as quantity to be measured is known as analog instrument.
(ii) The accuracy of digital instrument is more.	The accuracy of analog instrument is less.
(iii) The digital instrument required less power.	The analog instrument required more power.

Group III

MAHATMA GANDHI ARTS, SCI, & LATE N. P. COMMERCE
COLLEGE, ARMORI



SKILL ENHANCEMENT COURSE

PROJECT – PHYSICS

B.Sc. – III YEAR

SUBJECT – PHYSICS

SESSION – 2020-21

Head of Department – **Dr. R.M THOMBRE SIR**

Sign of Head

SR.NO.	GROUP MEMBERS	SIGNATURE
1.	MAMTA SANTOSH CHICHGHARE	
2.	NIKHIL VIJAY DESHMUKH	
3.	KAPIL KARTIK DHONGADE	
4.	DYANESHWAR UMAKANT DEOGIRKAR	
5.	VAIBHAV JITENDRA DESHMUKH	



Introduction of Measurement

Measurement is the basis of all scientific study and experimentation. It plays an important role in our daily life. Physics is a quantitative science and physicists always deal with numbers which are the measurement of physical quantities.

Measuring Units:-

A physical quantity is a quantity that can be measured. Length, time, mass and temperature are the fundamental physical quantities. These can be measured directly using suitable measuring instruments.

- * Length is the measure of the distance between two points, which is measured using a ruler or a measuring tape.
- * Time is the interval between two events which is measured by using a clock.
- * Mass of the body is the amount of matter contained in it and it is measured with the help of a balance.
- * Temperature is the measure of degree of hotness of a body and is measured using a thermometer.


Working of Half wave rectifier

During the positive half cycle the diode is under forward bias condition and it conducts currents to RL (Load Resistance). A voltage is developed across the load which is same as the input AC signal of the positive half cycle.

Alternatively during the negative half cycle the diode is under reverse bias condition and there is no current flow through the diode. Only the AC voltage appears across the load and it is the net result which is positive during the positive half cycle. The output voltage pulsates the DC voltage.

Operation of Half wave Rectifier

PN junction diode conducts only during the forward bias condition. Half wave rectifier uses the same principle of PN junction diode and this converts AC to DC. In a half wave rectifier circuit a load resistance is connected in series with PN junction diode. Alternating current is the input of the half wave rectifier. A step down transformer takes input voltage and the resulting output of the transformer is given to the load resistor and to the diode.



Uses of bread - Board Board :

A Breadboard is an inexpensive easy to use piece of hardware for wiring electrical circuits. Breadboard acquired their ~~name~~ names because they are similar in shape to cutting boards used for cutting unsliced bread. The part hobbyists and engineers would metal spikes into cutting breads when wiring circuits.

A breadboard is usually covered with a lined with metal in which wires and electrical components such as resistors diodes can be plugged.

Designing of Circuits:-

* Half wave Rectifiers:-


A rectifier is an electrical device that convert AC voltage into DC voltage in other words it converts alternating current to direct current. A Rectifier is used in almost all the electronic devices mostly is used to convert AC The main voltage into DC voltage in the power supply section by using DC voltage supply electronic device work according to period of conduction rectifiers are classified into two categories:-

- ① Half wave rectifier
- ② full wave rectifier.

* NOR Gate :

A NOR gate is logical gate that produce high output (1) only if all its inputs are false, and low output (0) otherwise. Hence the NOR gate is the inverse of an OR gate, and its circuits are produced by connecting an OR gate to a NOT gate. Just like an OR Gate may have any number of input probes but only one output probe.

The Basic Construction of the NOR gate -




NOR Gate truth table

Input		Output
A	B	$X = \overline{A+B}$
0	0	1
0	1	0
1	0	0
1	1	0

A NOR gate is also referred to as a Universal gate.

Shree Radhe



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armoor, Dist. - Godavari

Vernier calliper :

A quick guide on how to read Vernier scale. A Vernier calliper output measurement reading in centimeter (cm) and it is precise up to 2 decimal place.

How to read vernier calliper:

In order to read the measurement reading from vernier calliper properly you need to remember two things. before we start for example vernier calliper output a measurement reading of 2.13 cm this mean that.

- The main scale contribute the main number as and one decimal place to the reading (i.e) 2.1 cm whereby 2 is the main number and 0.1 is the one decimal place to reading.
- To obtain the main scale reading look at the diagram 2.1 cm is to immediate left of zero on the vernier scale. Hence the main scale reading is 2.1 cm.

EXCELLENT



Principal
Mahatma Gandhi Arts,
Science & Com
N. P. Commerce College,
Chennai

Group IV

MAHATMA GANDHI ARTS, SCI, & LATE N. P. COMMERCE
COLLEGE, ARMORI



SKILL ENHANCEMENT COURSE

PROJECT – PHYSICS

B.Sc- III YEAR

SUBJECT – PHYSICS

SESSION -2020-21

Head of Department - Dr. R.M THOMBRE SIR

Sign Of Head

SR.NO.	GROUP MEMBER	SIGNATURE
1.	Vaishnavi Bhojraj Watgule	
2.	Sainath Sudhakar Wakade	
3.	Shubham Milind Akhade	
4.	Leena Deorao Lonare	
5.	Moh. Oavesar Arifbhai Shekhani	

Introduction of Measurement :-

Measurement is the basis of all scientific study & experimentation. It plays an imp role in our daily life. Physics is a quantitative science & physicists always deal with numbers which are the measurement of physical quantities.

Measuring units :-

A. Physical quantity is quantity that can be measured.

length, time, mass & temp^o are the fundamental physical quantities. these can be measured directly using suitable measuring instruments

- length is a measure of the distance between two points, which is measured using a ruler or a measuring tape.
- Time is the interval between two events, which is measured using a clock.
- Mass of a body is the amount of matter contained in it & is measured with the help of a balance.
- Temperature is a measure of the degree of hotness of a body & is measured using thermometers.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Amori, Dist - Gadchiroli

Teacher's Signature

Observation :-

Sr. No	Quantity	Main scale	Vernier scale	Fraction $\frac{1}{n} \times VC$	Total $R = R + VC$	$R = R + VC$
1	Length	25	12	12×0.05 $= 0.6 \text{ cm}$	$2.5 + 0.6$ $= 3.1 \text{ cm}$	3.1 cm
2	Diameter	0.7	15	15×0.05 $= 0.75$	$0.7 + 0.75$ $= 1.45$	1.45

Result :- Volume of Cylinder = $V = 5.16 \text{ cm}^3$.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Amori, Dist - Gadchiroli

Teacher's Signature _____

Designing of basic gates :-

• AND gate


The ~~gates~~ AND gate is an electronic circuit gives a high output (1) only if all its inputs are high A & B (:) is used to show that AND operation i.e., A.B But in that this is sometimes omitted i.e. AB

• OR gate

The OR gate is an electronic circuit that gives a high output (1) or more if its input are high A Plus (+) is used to show OR operation.

• Not gate

The NOT gate is an electronic circuit that produce an inverted version of the input at its output It is also known as an inverter If the input variable is A the inverted output is known as NOT A this is also shown as \bar{A} OR A with a bar over the top as shown. all the outputs the diagrams below show two ways that the NAND logic gate can be configured to produce a NOT gate It can also be done using NOR logic gates in the same way.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armor, Dist - Gadchiroli



Teacher's Signature _____

Group - V

MAHATMA GANDHI ARTS, SCI, & LATE N. P. COMMERCE
COLLEGE, ARMORI.



SKILL ENHANCEMENT COURSE

PROJECT – PHYSICS

B.Sc- III YEAR

SUBJECT – PHYSICS

SESSION -2020-21

Head of Department - Dr. R.M THOMBRE SIR

Sign Of Head

SR.NO.	GROUP MEMBER	SIGNATURE
1.	MANISH HETRAM BOPCHE	
2.	VAISHNAVI ARUN BODNE	
3.	PUNAM VINAYAK BHAGADKR	
4.	KHUSHBOO MURLIDHAR BAWANGADE	
5.	PRASHANT SUNIL BORKAR	

Que. 1

What are errors in measurement of quantity.

Errors in measurement of quantity are as follows:

- (i) Absolute error - The amount of error in your measurement.
- (ii) Greatest possible error - defined as a one half of the measuring unit.
- (iii) Instrument error - error caused by an inaccurate instrument or a poorly worded question noise.
- (iv) Margin of error - an amount above and below your measurement.
- (v) Measurement location error - Caused by an instrument being placed some when it should like a thermometer left a thermometer out in the full sun.

(vi) Operator error - human factors that cause error, like reading a scale incorrectly.


(vii) Percent error - Another way of expressing measurement error.

(viii) Percent error -

$$\frac{\text{measured value} - \text{actual value}}{\text{actual value}}$$

(ix) Relative error - The ratio of the absolute error to the accepted measurement
As a formula that is,

$$E_{\text{relative}} = \frac{E_{\text{absolute}}}{E_{\text{measured}}}$$



Principal

Manatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchigoli

change of the measured.

As an example, consider a pressure sensor that has a measurement range of 0-5V. Its sensitivity is 0-100 PSI and output range of 0-5V. Its sensitivity is 0.05V/PSI.


It is the ratio of change in output of the instrument to change in output or measured variable.

A higher sensitivity indicates that the system can respond to even smallest input.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Amori, Dist - Gadchiroli

- i) Cathod ray tube
- ii) Vertical amplifie.
- iii) Delay line
- iv) Time base generator
- v) Horizontal amplifire
- vi) Trigger circuite.
- vii) power supply.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



circuit diagram of AC voltmeter using half wave rectifier will look like shown below.

② AC voltmeter using full wave rectifier.

If a full wave rectifier is connected ahead of DC voltmeter then that entire combination together is called AC voltmeter. using full wave rectifier, the block diagram of AC voltmeter using full wave rectifier is shown in fig.

So the circuit diagram of AC voltmeter using full wave rectifier will look like as in below.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armeri, Dist - Gadchiroli

Project Work B.Sc. III (Mathematics)

Group -A

**MAHATMA GANDHI ARTS, SCIENCE AND
LATE N.P COMMERCE COLLEGE , ARMORI**

SKILL ENHANCEMENT COURSE

PROJECT WORK

B.SC- Mathematics Sem VI

Session- 2020-2021

Topic- Fundamentals of graph Theory

Guidence By- Kharwade Sir

(Group A)

Names- 1. Nakul Santosh Kandalkar

2. Pradnya Harinath Kura

3. Arti Gurudev Saundarkar

4. Shahin Jakir Sheikh

5. Laxmi Dharma Sayam

P.A.K.
28-7-21

MAHATMA GANDHI ARTS, SCIENCE AND LATE N. P.
COMMERCE COLLEGE, ARMORI, DIST:GADCHIROLI

CERTIFICATE

THIS IS TO CERTIFY THAT Group A

- 1) Nakul santosh kandalkar
- 2) Pradnya Harinath kura
- 3) Axti Gurudev saundarkar
- 4) Laxmi Dharma sayam
- 5) Shahin Jakir sheikh

OF CLASS B.SC. SEM-VI (SUMMER-21) HAS SUCCESSFULLY COMPLETED THEIR
PROJECT WORK ON THE TOPIC 'Fundamentals of
Graph theory' UNDER THE GUIDANCE OF
PROF. ARPIT KHARWADE FOR THE 'SKILL ENHANCEMENT COURSE'
(SESSION 20-21).

A.A.K.
28-7-21

PROF. ARPIT KHARWADE

HEAD OF THE DEPARTMENT

PROF. DR. L. CH. KHALSA

Principal
Science & Late
N. P. Commerce College,
Armori Dist - Gadchiroli



A GRAPH IS A DIAGRAM OF POINTS AND LINES CONNECTED TO THE POINTS. IT HAS AT LEAST ONE LINE JOINING A SET OF TWO VERTICES WITH NO VERTEX CONNECTING ITSELF. THE CONCEPT OF GRAPHS IN GRAPH THEORY STANDS UP ON SOME BASIC TERMS SUCH AS POINT, LINE, VERTEX, EDGE, DEGREE OF VERTICES, PROPERTIES OF GRAPHS, ETC.

Point

A **point** is a particular position in a one-dimensional, two-dimensional, or three-dimensional space. For better understanding, a point can be denoted by an alphabet. It can be represented with a dot.

Example:



HERE, THE DOT IS A POINT NAMED 'A'.

Line

A **Line** is a connection between two points. It can be represented with a solid line.

Example:



Here, 'a' and 'b' are the points. The link between these two points is called a line.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

Vertex

A vertex is a point where multiple lines meet. It is also called a **node**. Similar to points, a vertex is also denoted by an alphabet.

Example:



HERE, THE VERTEX IS NAMED WITH AN ALPHABET 'A'.

Edge


An edge is the mathematical term for a line that connects two vertices. Many edges can be formed from a single vertex. Without a vertex, an edge cannot be formed. There must be a starting vertex and an ending vertex for an edge.

Example:




Here, 'a' and 'b' are the two vertices and the link between them is called an edge.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armon. Dist - Gadchiroli

TYPES OF GRAPH

SIMPLE GRAPH	MULTIGRAPH	NULL GRAPH
DIRECTED GRAPH	NON-DIRECTED GRAPH	COMPLETE GRAPH
EULER GRAPH	HAMILTONIAN GRAPH	CONNECTED GRAPH
DISCONNECTED GRAPH	PLANAR GRAPH	CYCLIC GRAPH



Principal
Mahatma Gandhi Arts,
Science & Late
Arts & Commerce College,
Ar... Gadchiroli




APPLICATION OF GRAPH THEORY

GRAPH THEORY HAS ITS APPLICATIONS IN DIVERSE FIELDS OF ENGINEERING-

- **Electrical Engineering:** The concepts of graph theory is used extensively in designing circuit connections. The types or organization of connections are named as topologies. Some examples for topologies are star, bridge, series, and parallel topologies.
- **Computer Science:** Graph theory is used for the study of algorithms.

For example,

- Kruskal's Algorithm
 - Prim's Algorithm
 - Dijkstra's Algorithm
-
- **Computer Network:** The relationships among interconnected computers in the network follows the principles of graph theory.
 - **Science:** The molecular structure and chemical structure of a substance, the DNA structure of an organism, etc., are represented by graphs.
 - **Linguistics:** The parsing tree of a language and grammar of a language uses graphs.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,



Group -B

**MAHATMA GANDHI ARTS, SCIENCE AND LATE N.P.
COMMERCE COLLEGE ARMORI,
DIST- GADCHIROLI**

2021

MATHEMATICS

**Skill Enhancement Course
Project Work**

**B.SC. - III
SEMESTER: VI
SESSION: 2020-21**

TOPIC :- GRAPHS AND ITS TYPES

Participate Students Name:- (Group B)

- 1) Shende Karishma Kishor
- 2) Sidam Khushal Rushiji
- 3) Talande Ankit Vinayak
- 4) Thakare Prachi Bhaurao
- 5) Wasekar Vipul Dilip

P.A.K.
28-7-21

Guidance By: Kharwade Sir

GRAPHS AND ITS TYPES

INDEX

SR NO.	TOPIC	PAGE NO.
1.	DEFINITION OF GRAPH	1
2.	TYPES OF GRAPH	2
A)	NULL GRAPH	3
B)	TRIVIAL GRAPH	3
C)	DIRECTED GRAPH	4
D)	NON-DIRECTED GRAPH	5
E)	SIMPLE GRAPH	6
F)	CONNECTED GRAPH	7
G)	DISCONNECTED GRAPH	8
H)	COMPLETE GRAPH	9
I)	CYCLIC GRAPH	10
J)	ACYCLIC GRAPH	11



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



MAHATMA GANDHI ARTS, SCIENCE AND LATE N. P.
COMMERCE COLLEGE, ARMORI, DIST:GADCHIROLI

CERTIFICATE

THIS IS TO CERTIFY THAT Group B

- 1) Kavishma Kishor shende
- 2) Khushal Rushiji Sidam
- 3) Ankit Vinayak Talande
- 4) Prachi Bhaurao Thakare
- 5) Vipul Dilip Wasekar

OF CLASS B.SC. SEM VI (SUMMER-21) HAS SUCCESSFULLY COMPLETED THEIR
PROJECT WORK ON THE TOPIC 'Graphs and its
types' UNDER THE GUIDANCE OF
PROF. ARPIT KHARWADE FOR THE 'SKILL ENHANCEMENT COURSE'
(SESSION 20-21).

A.A.K.
28-7-21
PROF. ARPIT KHARWADE


HEAD OF THE DEPARTMENT
PROF. DR. L. H. KHALSA

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



DEFINITION OF GRAPH


A graph 'G' is defined as $G = (V, E)$ Where V is a set of all vertices and E is a set of all edges in the graph.

- **Ex-1:**



In the above graph $G=(V, E)$, $E=\{ab, ac, cd, bd\}$
 $V=\{a, b, c, d\}$.

- **Ex-2:**



In the graph $G=(V, E)$, $V=\{a, b, c, d\}$
 $E=\{ab, ac, ad, cd\}$.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Arumath - Gadchiroli



1.Null Graph

A **graph having no edges** is called a Null Graph.

- EX-1



In the above graph, there are three vertices named 'a', 'b', and 'c', but there are no edges among them. Hence it is a Null Graph.

- EX-2



In the above graph, there are four vertices named 'a', 'b', 'c' and 'd' but there are no edges among them. Hence it is a Null Graph.

2.Trivial Graph

A **graph with only one vertex** is called a Trivial Graph.

- EX.



In the above shown graph, there is only one vertex 'a' with no other edges. Hence it is a Trivial graph.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



3. Non-Directed Graph

A non-directed graph contains edges but the edges are not directed ones.

- EX.



In this graph, 'a', 'b', 'c', 'd', 'e', 'f', 'g' are the vertices, and 'ab', 'bc', 'cd', 'da', 'ag', 'gf', 'ef' are the edges of the graph. Since it is a non-directed graph, the edges 'ab' and 'ba' are same. Similarly other edges also considered in the same way.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armor Dist - Gadchiroli



4. Directed Graph

In a directed graph, each edge has a direction.

- **Ex.**




In the above graph, we have seven vertices 'a', 'b', 'c', 'd', 'e', 'f', and 'g', and eight edges 'ab', 'cb', 'dc', 'ad', 'ec', 'fe', 'gf', and 'ga'. As it is a directed graph, each edge bears an arrow mark that shows its direction. Note that in a directed graph, 'ab' is different from 'ba'.

7. Disconnected Graph

A graph G is disconnected, if it does not contain at least two connected vertices.

- **EX.1**

The following graph is an example of a Disconnected Graph, where there are two components, one with 'a', 'b', 'c', 'd' vertices and another with 'e', 'f', 'g', 'h' vertices.




The two components are independent and not connected to each other. Hence it is called disconnected graph.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

• Ex.2




In this example, there are two independent components, a-b-f-e and c-d, which are not connected to each other. Hence it is a disconnected graph.

8.Complete Graph

A simple graph with 'n' mutual vertices is called a complete graph and it is **denoted by 'K_n'**. In the graph, **a vertex should have edges with all other vertices**, then it called a complete graph.

➤ In other words, if a vertex is connected to all other vertices in a graph, then it is called a complete graph.

• Ex.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli




In the above graphs, each vertex in the graph is connected with all the remaining vertices in the graph except by itself. Hence, they are complete graphs.

9.Cyclic Graph

*A graph **with at least one** cycle is called a cyclic graph.*

- **Ex.**



In the above example graph, we have two cycles $a-b-c-d-a$ and $c-f-g-e-c$. Hence it is called a cyclic graph.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Arakonk, Dist. Gachibowli

Group-C

1

MAHATMA GANDHI ARTS, SCIENCE AND LATE N.P. COMMERCE COLLEGE, ARMORI

Skill Enhancement Course Project Work

B.Sc. Semester: VI

Subject: Mathematics

Session: 2020-21

Topic: vertices of graph

Guidance by: Kharwade Sir

PARTICIPANT NAMES Group C



1. Sanket tejrao akare
2. Nikesh homdeo chaple
3. Shreyash shrihari paulbuddhe
4. Niraj ravi pittulwar
5. Santoshi Hemant potekar




A.A.K.
28-7-21

VERTICES OF GRAPH

INDEX

SR NO.	TOPIC	PAGE NO.
1.	DEFINITION OF GRAPH AND ITS VERTEX	3
2.	TYPES OF VETEX	4
3.	DEGREE OF VERTEX I	5
4.	DEGREE OF VERTEX IN AN UNDIRECTED GRAPH	6
5.	DEGREE OF VERTEX IN A DIRECTED GRAPH. (INDEGREE AND OUTDEGREE)	7-8
6.	CUT VERTEX	9



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armor, Dist - Gadchiroli



MAHATMA GANDHI ARTS, SCIENCE AND LATE N. P.
COMMERCE COLLEGE, ARMORI, DIST:GADCHIROLI

CERTIFICATE

THIS IS TO CERTIFY THAT Group C

- 1) Sanket Tejrao Akare
- 2) Chaple Nikesh Homdeo
- 3) Shreyas shrihaxi Paulbudhhe
- 4) Niraj Ravi Pittulwar
- 5) Santoshi Hemant Potekar

OF CLASS B.SC. SEM VI (SUMMER-21) HAS SUCCESSFULLY COMPLETED THEIR
PROJECT WORK ON THE TOPIC 'Vertices of Graph'

.....UNDER THE GUIDANCE OF
PROF. ARPIT KHARWADE FOR THE 'SKILL ENHANCEMENT COURSE'
(SESSION 20-21).

A.A.K.
28-7-21
PROF. ARPIT KHARWADE





HEAD OF THE DEPARTMENT
Principal
PROF. DR. L.H. KHALSA
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

GRAPH

A graph is a pictorial representation of a set of objects where some pairs of objects are connected by links. The interconnected objects are represented by points termed as **vertices**, and the links that connect the vertices are called **edges**.

- In mathematical language, a graph is a pair of sets (V, E) , where V is the set of vertices and E is the set of edges, connecting the pairs of vertices.

For ex.



In the above graph $G=(V, E)$, SET OF VERTICES, $V=\{a, b, c, d\}$

SET OF EDGES, $E=\{ab, ac, cd, ad\}$

DEFINITION OF VERTEX OF A GRAPH

A vertex is a point where multiple lines meet. It is also called a **node**. Similar to points, a vertex is also denoted by an alphabet.

- **Ex.**

• a

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armor, Dist - Gadchiroli




Here, the vertex is named with an alphabet 'a'.

- ❖ By using degree of a vertex, we have a two special types of vertices:

1.Pendent Vertex

A vertex with degree one is called a pendent vertex.

EX.



Here, in this example, vertex 'a' and vertex 'b' have a connected edge 'ab'. So with respect to the vertex 'a', there is only one edge towards vertex 'b' and similarly with respect to the vertex 'b', there is only one edge towards vertex 'a'. Finally, vertex 'a' and vertex 'b' has degree as one which are also called as the pendent vertex.

2.Isolated Vertex

A vertex with degree zero is called an isolated vertex.

Ex.



Here, the vertex 'a' and vertex 'b' has a no connectivity between each other and also to any other vertices. So the degree of both the vertices 'a' and 'b' are zero. These are also called as isolated vertices.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Amori, Dist - Gadchiroli

• Degree of Vertex in a Directed Graph

In a directed graph, each vertex has an **indegree** and an **outdegree**.

Indegree of a Graph

- Indegree of vertex V is the number of edges which are coming into the vertex V .

Notation: $\text{deg}^-(V)$.


Outdegree of a Graph

- Outdegree of vertex V is the number of edges which are going out from the vertex V .

Notation: $\text{deg}^+(V)$.

Ex .

Take a look at the following directed graph. Vertex 'a' has two edges, 'ad' and 'ab', which are going outwards. Hence its outdegree is 2. Similarly, there is an edge 'ga', coming towards vertex 'a'. Hence the indegree of 'a' is 1.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Gadchiroli


• Cut Vertex

Let 'G' be a connected graph. A vertex $V \in G$ is called a cut vertex of 'G', if 'G-V' (Delete 'V' from 'G') results in a disconnected graph. Removing a cut vertex from a graph breaks it in to two or more graphs.

- **Note:** Removing a cut vertex may render a graph disconnected.
- A connected graph 'G' may have at most $(n-2)$ cut vertices.

Ex.

In the following graph, vertices 'e' and 'c' are the cut vertices.



By removing 'e' or 'c', the graph will become a disconnected graph.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armoni, Dist - Gadchiroli

Group-D

**MAHATMA GANDHI ARTS
SCIENCE AND LATE N.P.
COMMERCE COLLEGE, ARMORI**

Skill Enhancement Course

Project Work

B.SC.:- III YEAR (SEM-VI)

SUBJECT :- MATHEMATICS

TOPIC :- ISOMORPHISM OF GRAPHS

SESSION :- 2020-2021

GUIDANCE BY:- KHARWADE SIR

PARTICIPANTS NAMES : (Group D)

- 1] Bhojraj Dilip Khobragade
- 2] Pranay Sheshrao Kamble
- 3] Rohan Diwakar Kasture
- 4] Sahil Pramod Juare
- 5] Yash Kishor Kuthe

A.A.K.
28-7-21

INDEX

SR NO.	TOPIC	PAGE NO.
1.	DEFINITION OF ISOMORPHIC GRAPHS	3
2.	EXAMPLES	4
3.	PLANAR GRAPH	5
4.	REGIONS	6-7
5.	PROPERTIES OF A PLANAR GRAPH	8
6.	HOMOMORPHISM OF GRAPHS	9-10
7.	POLYHEDRAL GRAPH	10


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Aurangabad - Gadchiroli



MAHATMA GANDHI ARTS, SCIENCE AND LATE N. P.
COMMERCE COLLEGE, ARMORI, DIST:GADCHIROLI

CERTIFICATE

THIS IS TO CERTIFY THAT Group D

- 1) Sahil pramod Juave
- 2) Pranay sheshrao kamble
- 3) Rohan Diwakar Kasture
- 4) Bhojraj Dilip Khobragade
- 5) Yash Kishor kuthe

OF CLASS B.SC. SEM VI (SUMMER-21) HAS SUCCESSFULLY COMPLETED THEIR
PROJECT WORK ON THE TOPIC 'Isomorphism of
Graphs'.....UNDER THE GUIDANCE OF
PROF. ARPIT KHARWADE FOR THE 'SKILL ENHANCEMENT COURSE'
(SESSION 20-21).

A.A.K.
28-7-21

PROF. ARPIT KHARWADE

HEAD OF THE DEPARTMENT
PROF. DR. J. H. KHALSA
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



ISOMORPHISM OF GRAPHS

A graph can exist in different forms having the same number of vertices, edges, and also the same edge connectivity. Such graphs are called isomorphic graphs.

Isomorphic Graphs

Two graphs G_1 and G_2 are said to be isomorphic if:

- Their number of components (vertices and edges) are same.
- Their edge connectivity is retained.

And we write it as $G_1 \cong G_2$.

❖ THEOREM: If $G_1 \cong G_2$ then-

1. $|V(G_1)| = |V(G_2)|$
2. $|E(G_1)| = |E(G_2)|$
3. Degree sequences of G_1 and G_2 are same.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armeri, Dist - Gadchiroli




3


Planar Graphs

A graph 'G' is said to be planar if it can be drawn on a plane or a sphere so that no two edges cross each other at a non-vertex point.

➤ Example



NON - PLANAR GRAPH



PLANAR GRAPH

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armor, Dist - Gadchiroli



5

PROPERTIES OF A PLANAR GRAPH

1. In a planar graph with 'n' vertices, sum of degrees of all the vertices is:

$$\sum_{i=1}^n \text{deg}(V_i) = 2|E|$$

2. According to **Sum of Degrees of Regions Theorem**, in a planar graph with 'n' regions, Sum of degrees of regions is:

$$\sum_{i=1}^n \text{deg}(r_i) = 2|E|$$

3. According to **Euler's Formulae** on planar graphs,

a. If a graph 'G' is a connected planar, then

$$|V| + |R| = |E| + 2$$

b. If a planar graph with 'K' components, then

$$|V| + |R| = |E| + (K+1)$$

Where, |V| is the number of vertices, |E| is the number of edges, and |R| is the number of regions.


4. Edge Vertex Inequality

If 'G' is a connected planar graph with degree of each region at least 'K' then,

$$|E| \leq k / (k-2) \{ |V| - 2 \}$$




Principal
Mahatma Gandhi Arts,
Science & Late
N.P. Commerce College,
Amraoti, Gadchiroli



NOTE: If G_1 is isomorphic to G_2 , then G is homeomorphic to G_2 but the converse need not be true.

- Any graph with 4 or less vertices is planar.
- Any graph with 8 or less edges is planar.
- A complete graph K_n is planar if and only if $n \leq 4$.

Polyhedral Graph

A simple connected planar graph is called a polyhedral graph if the degree of each vertex is ≥ 3 , i.e. $\text{deg}(V) \geq 3, \forall V \in G$.



Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Armodi, Gadchiroli

Group – E

Mahatma Gandhi Arts, Science and Late N.P. Commerce College, Armori

Skill Enhancement Course Project Work

B.Sc. Semester: VI

Subject: Mathematics

Session: 2020-21

Topic: Traversability of Graphs

Guidance by: Kharwade Sir

Names: 1) Ajay Ramesh Akare
GRouPE 2) Chandu Digamber Dhote
3) Priyanka Shamrao Meshram
4) Kalyani Vasant Pradhan
5) Roshani Murlidhar Pustode




A.A.K.
28-7-21

[1]

TRAVERSABILITY OF GRAPHS

INDEX

SR NO.	TOPIC	PAGE NO.
1.	DEFINITION OF TRAVERSABILITY OF GRAPHS	3
2.	EULER PATH	3
3.	EULER CIRCUIT	4
4.	EULER'S CIRCUIT THEOREM	5
5.	HAMILTONIAN GRAPH	6-7



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armeri, Dist - Gadchiroli



MAHATMA GANDHI ARTS, SCIENCE AND LATE N. P.
COMMERCE COLLEGE, ARMORI, DIST:GADCHIROLI

CERTIFICATE

THIS IS TO CERTIFY THAT Group E

- 1) Ajay Ramesh Akare
- 2) Chandu Digamber Dhote
- 3) Priyanka Shamyao Meshram
- 4) Kalyani Vasant Pradhan
- 5) Roshani Murlidhar Pustode

OF CLASS BSC. SEM-VI (SUMMER-21) HAS SUCCESSFULLY COMPLETED THEIR
PROJECT WORK ON THE TOPIC 'Traversability of
Graphs'.....UNDER THE GUIDANCE OF
PROF. ARPIT KHARWADE FOR THE 'SKILL ENHANCEMENT COURSE'
(SESSION 20-21).

P.A.K.
28-7-21
PROF. ARPIT KHARWADE



[Signature]
HEAD OF THE DEPARTMENT
PROF. DR. L. H. KHALSA
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli


TRAVERSABLE GRAPH

A graph is traversable if you can draw a path between all the vertices without retracing the same path. Based on this path, there are some categories like Euler's path and Euler's circuit which are described in this chapter.

Euler's Path

An Euler's path contains each edge of 'G' exactly once and each vertex of 'G' at least once. A connected graph G is said to be traversable if it contains an Euler's path.

❖ Example



Euler's Path = d-c-a-b-d-e.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armor, Dist - Gadchiroli




Euler's Circuit

In a Euler's path, if the starting vertex is same as its ending vertex, then it is called an Euler's circuit.

❖ Example



Euler's Path = a-b-c-d-a-g-f-e-c-a.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armo. Post - Gadchiroli

Hamiltonian Graph


A connected graph G is said to be a Hamiltonian graph, if there exists a cycle which contains all the vertices of G .

- Every cycle is a circuit but a circuit may contain multiple cycles. Such a cycle is called a **Hamiltonian cycle** of G .

Hamiltonian Path

A connected graph is said to be Hamiltonian if it contains each vertex of G exactly once. Such a path is called a **Hamiltonian path**.

❖ Example



Hamiltonian Path – e-d-b-a-c.

Note:

1. Euler's circuit contains each edge of the graph exactly once.
2. In a Hamiltonian cycle, some edges of the graph can be skipped

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
[6] Armori, Dist - Gadchiroli



Project Work B.Sc. III (Geology) Group I

Project Report

on

"The Concept and Significance of Renewability"

Submitted by

Miss Tilottama D. Bante Mr. Pranay A. Bagade

Miss. Payal V. Bhandekar Mr. Nikhil V. Bodne

Mr. Pankaj K. Barsagade

B.Sc. Final Year (Semester VI)

Submitted to

Department of Geology
M.G. College Armori
Gondwana University, Gadchiroli



Guided by

Prof. Dr. C.P. Dorlikar
Professor and Head
P.G. Department of Geology

P.G. DEPARTMENT OF GEOLOGY M.G. COLLEGE ARMORI
GONDWANA UNIVERSITY, GADCHIROLI

Year 2020-2021




CERTIFICATE

This is Certified that Tilottama D. Bante , Mr.Pranay A. Bagade,
Miss. Payal V. Bhandekar , Mr. Nikhil V. Bodne,Mr. Pankaj K. Barsagade
has carried out project work on "The Concept and Significance of Renewability"

Under the concern faculty supervision for the partial fulfilment of the Post Graduation of B.Sc. She/He has carried out project work in the field and laboratories of the department of Geology. Mahatma Gandhi College Armori and Gondwana University Gadchiroli.

She/He fulfilled all the necessary requirements of the regulation related to the nature the prescribed period of work as per rules required under the ordinance related to the post Graduation department of Geology of the M.G. College Armori Gondwana University Gadchiroli



Internal Examiner

External Examiner



PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce Collage
ARMORI, Distt.Gadchiroli



ACKNOWLEDGEMENT

I must express my science and whole hearted thanks to M.G.College Armori, Gondwana University for giving this opportunity to submit the project.

I wish to express my deep and whole heartily gratitude to asst. Prof. Dr. C.P. Dorlikar and Head of department of Geology M.G. College Armori , whose constant guidance contributed toward the complition of work

I specially acknowledge with thanks to asst. Prof. P.S. Ganvir Post Graduation Department of Geology for his helping nature and efforts which solve all difficulties.

One again I pledge my sincere gratitude to all other who helped me directly and indirectly for the accomplishment of my goal.

Date :

Place : Armori

- 1) Tilottama D. Bante Tilote.
- 2) Pranay A. Bagade Bagde.
- 3) Payal V. Bhandekar PV
- 4) Nikhil V. Bodne NV
- 5) Pankaj K. Barsagade P. Barsagade

B.sc Final Year Sem VI



Contents

1. Introduction
2. Methods
3. Water Resources
4. Hydropower
5. Wine Power
6. Solar Energy
7. Geothermal Energy
8. Significance



PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli



The concept of renewable resources

Essentially, a renewable resource, such as solar energy, wind energy, and geothermal pressure, has an endless supply . Other resources are considered renewable even though some time or effort must go into their renewal (e.g., wood, oxygen, leather, and fish). Most precious metals are renewable also.

Water resources

Water can be considered a *renewable* material when carefully controlled usage and temperature, treatment, and release are followed. If not, it would become a non-renewable resource at that location. For example, as groundwater is usually removed from an aquifer at a rate much greater than its very slow natural recharge, it is a considered non-renewable resource. Removal of water from the pore spaces in aquifers may cause permanent compaction (*subsidence*) that cannot be renewed. 97.5% of the water on the Earth is salt water, and 3% is fresh water; slightly over two thirds of this is frozen in glaciers and polar ice caps.^[4] The remaining unfrozen freshwater is found mainly as groundwater, with only a small fraction (0.008%) present above ground or in the air.^[5]

Water pollution is one of the main concerns regarding water resources. It is estimated that 22% of worldwide water is used in industry.^[6] Major industrial users include hydroelectric dams, thermoelectric power plants (which use water for cooling), ore and oil refineries (which use water in chemical processes) and manufacturing plants (which use water as a solvent), it is also used for dumping garbage.

Desalination of seawater is considered a renewable source of water, although reducing its dependence on fossil fuel energy is needed for it to be fully renewable.^[1]


PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce College
ARMORI, Dist.Gadchiroli



Hydropower

Global electricity power generation capacity	1,211 GW (2020) ^{IPCE}
Global electricity power generation capacity annual growth rate	2.7% (2011-2020) ^{IPCE}
Share of global electricity generation	16% (2018) ^{IPCE}
Levelized cost per megawatt hour	USD 65.581 (2019) ^{IPCE}
Primary technology	Dam
Other energy applications	Pumped storage, mechanical power

Since water is about 800 times denser than air, even a slow flowing stream of water, or moderate sea swell, can yield considerable amounts of energy. There are many forms of water energy:




PRINCIPAL
M.G.Arts, Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli



Wind power


Global electricity power generation capacity	733 GW (2020) ^[9]
Global electricity power generation capacity annual growth rate	14% (2011-2020) ^[9]
Share of global electricity generation	5% (2018) ^[9]
Levelized cost per megawatt hour	Land-based wind: USD 30.165 (2019) ^[9]
Primary technology	Wind turbine
Other energy applications	Windmill, windpump

Air flow can be used to run wind turbines. Modern utility-scale wind turbines range from around 600 kW to 9 MW of rated power. The power available from the wind is a function of the cube of the wind speed, so as wind speed increases, power output increases up to the maximum output for the particular turbine.^[9] Areas where winds are stronger and more constant, such as offshore and high-altitude sites, are preferred locations for wind farms. Typically, full load hours of wind turbines vary between 16 and 57 percent annually but might be higher in particularly favorable offshore sites.^[9]

Wind-generated electricity met nearly 4% of global electricity demand in 2015, with nearly 63 GW of new wind power capacity installed. Wind energy was the leading source of new capacity in Europe, the US and Canada, and the second largest in China. In Denmark, wind energy met more than 40% of its electricity demand while Ireland, Portugal and Spain each met nearly 20%.^[9]

Wind energy generation by region

Wind energy generation is measured in terawatt-hours (TWh) per year. Figures include both onshore and offshore wind sources.



Source: BP Statistical Review of Global Energy (2020)

Note: CIS (Commonwealth of Independent States) is an organization of ten post-Soviet republics in Eurasia following the break up of the Soviet Union.



 PRINCIPAL
 M.G.Arts, Science &
 Late N.P.Commerce College
 ARMORI, Distt.Gadchiroli



Geothermal energy

Global electricity power generation capacity	14 GW (2020) ^[10]
Global electricity power generation capacity annual growth rate	3.7% (2011-2020) ^[10]
Share of global electricity generation	<1% (2018) ^[10]
Levelized cost per megawatt hour	USD 58.257 (2019) ^[10]
Primary technologies	Dry steam, flash steam, and binary cycle power stations
Other energy applications	Heating

High temperature geothermal energy is from thermal energy generated and stored in the Earth. Thermal energy is the energy that determines the temperature of matter. Earth's geothermal energy originates from the original formation of the planet and from radioactive decay of minerals (in currently uncertain^[10] but possibly roughly equal^[10] proportions). The geothermal gradient, which is the difference in temperature between the core of the planet and its surface, drives a continuous conduction of thermal energy in the form of heat from the core to the surface. The adjective *geothermal* originates from the Greek roots *geo*, meaning earth, and *thermos*, meaning heat.




 PRINCIPAL
 M.G.Arts, Science &
 Late N.P.Commerce College
 ARMORI, Distt.Gadchiroli



Group II

Project Report

on

"Ground Water Resources and its Role in Economical Development of Contry."

Submitted by

Miss Mahima P. Dhore Mr. Vaibhav B. Dhore

Miss. Achal D. Donadkar Miss. Purva B. Mane

Miss. Dimpal G. Donadkar Mr. Pratik N. Mate

B.Sc. Final Year (Semester VI)

Submitted to

Department of Geology
M.G. College Armori
Gondwana University, Gadchiroli



Guided by

Prof. Dr. C.P. Dorlikar
Professor and Head
P.G. Department of Geology

P.G. DEPARTMENT OF GEOLOGY M.G. COLLEGE ARMORI
GONDWANA UNIVERSITY, GADCHIROLI

Year 2020-2021



CERTIFICATE

This is Certified that 1) Miss Mahima P. Dhore , 2) Mr.Vaibhav B. Dhore 3)Miss. Achal D. Donadkar, 4) Miss. Purva B. Mane , 5) Miss. Dimpal G. Donadkar , 6) Mr. Pratik N. Mate has carried out project work on "Ground Water Resources and its Role in Economical Development of Contry"


Under the concern faculty supervision for the partial fulfilment of the Post Graduation of B.Sc. She/ He has carried out project work in the field and laboratories of the department of Geology. Mahatma Gandhi College Armori and Gondwana University Gadchiroli.

She/He fulfilled all the necessary requirements of the regulation related to the nature the prescribed period of work as per rules required under the ordinance related to the post Graduation department of Geology of the M.G. College Armori Gondwana University Gadchiroli



Internal Examiner

External Examiner



PRINCIPAL
M.G.Arts.Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli



ACKNOWLEDGEMENT

I must express my science and whole hearted thanks to M.G.College Armori, Gondwana University for giving this opportunity to submit the project.




I wish to express my deep and whole heartily gratitude to asst. Prof. Dr. C.P. Dorlikar and Head of department of Geology M.G. College Armori , whose constant guidance contributed toward the complition of work

I specially acknowledge with thanks to asst. Prof. P.S. Ganvir Post Graduation Department of Geology for his helping nature and efforts which solve all difficulties.

One again I pledge my sincere gratitude to all other who helped me directly and indirectly for the accomplishment of my goal.

Date :

Place : Armori

- 1) Mahima P. Dhore 
- 2) Vaibhav B. Dhore 
- 3) Achal D. Donadkar 
- 4) Purva B. Mane 
- 5) Pratik N. Mate 
- 6) Dimpal G. Donadkar 

B.sc Final Year Sem VI



Content

1. Introduction
2. History
3. Types of Resources
4. Springs
5. Hand Dug wells
6. Boreholes
7. Collector wells
8. Infiltration gallery.
9. Qanats
10. Karst topography


PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchirall




Ground water resources and its role in economical development of country


Groundwater is the largest source of freshwater for mankind. ... Groundwater is often hidden deep in aquifers, permeable rocks and sediments and is extracted using pumping wells. Often, aquifers can be renewable water resources, slowly replenished by rainfall infiltration over hundreds up to many thousands of years.

HISTORY

Organizational history of the Department of Water Resources, River Development and Ganga Rejuvenation

1. The history of the subject 'Irrigation & Power' dates back to 1855 when it was made the responsibility of the then newly created Department of the Public Works. However, not much importance was given to irrigation work till the famine of 1858, when it was decided to take up canal construction work on an extensive scale and accordingly, an Inspector General of Canals was appointed. In 1863, taking into consideration the importance attached to development of irrigation facilities in the country, it was decided to place this subject under the charge of an irrigation expert, with the designation of Inspector General of Irrigation. He functioned under the administrative control of Secretary, Public Works Department.
2. Under the Government of India Act 1919, irrigation became a Provincial subject and the Government of India's responsibility was confined to advice, co-ordination and settlement of disputes over the rights on the water of Inter-Provincial Rivers. On the recommendations of the In-charge Committee, Public Works Department was merged with the Department of Industry in 1923 and a combined department known as 'Department of Industries and Labour' looked after the subject of 'Irrigation and Power'. A Central Board of Irrigation was also constituted in 1927. In 1937, the Department of Industry and Labour was bifurcated into the Department of Communication and Department of Labour. The latter was assigned the work relating to Irrigation and Power. Thereafter, on the recommendation of the Secretariat Reorganization Committee, Department of Works, Mines and Power, was created which looked after the subject of 'Irrigation and Power'. In 1951, a new Ministry of National Resources and Scientific Research was set up and it took over the subject of 'Irrigation and Power' from the Ministry of Works, Mines.




PRINCIPAL
M.G.Arts, Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli




Types of ground water resources

- **Springs** - Are natural flows of groundwater from the underlying rock or unconsolidated sediment. Springs are dependent on the characteristics of the rocks, and their nature and yields are hugely variable. They often occur in specific hydrogeological environments. Because they are open at their source, springs are vulnerable to contamination. No equipment is needed to make a spring, but springs can be improved and made less vulnerable to contamination and drought by various developments, such as constructing a collection tank to store spring water, and installing a protective cover over the spring head.




- **Hand-dug wells** - They have been dug to access groundwater for thousands of years. They can only be dug in soft material, such as unconsolidated sediment like sand and gravel, weathered basement, or limestone. They are only appropriate where the groundwater level (water table) is shallow. They are usually less than 20 m deep and 1–2 m in diameter, but can be wider and much deeper. Little or no specialised equipment is needed to construct a well – just something to dig with, and a way of removing the spoil. Wells often need to be lined to keep them open, using materials like brick, stones, concrete rings or even lorry tyres. Open wells are vulnerable to contamination from the surface, and can be improved by installing a concrete apron around the top. Wells have large storage, which helps make them less vulnerable to drought, but because they typically tap only shallow groundwater, they can dry up in dry seasons or longer droughts.




PRINCIPAL
M.G. Arts, Science &
late N.P. Commerce College
ARMORI, Distt. Gadchiroli

- Boreholes** - Are narrow diameter tubes drilled into the ground, usually vertically. Boreholes are also called tube wells or simply wells. They can be drilled more quickly and go deeper than hand-dug wells, and so can tap deeper, often more sustainable groundwater; they can be drilled through hard rocks and they can be more easily protected from contamination. There are many different techniques for drilling boreholes, some of which are more suited to certain hydrogeological environments. Usually, a motorised drilling rig is used, operated by specialist drillers. There are also manual drilling techniques.



- Collector wells** - Which are vertical boreholes or wells modified by drilling horizontally out radially below the water table to increase the collection area for groundwater into the central well, from where water is abstracted. They are often constructed in alluvium, next to ephemerally dry ('sand') rivers, with the horizontal radials drilled into the river bed deposits; or in weathered basement.



PRINCIPAL
 M.G.Arts,Science &
 Late N.P.Commerce College
 ARMORI, Distt.Gadchiroli




- **Infiltration gallery** - Which is a horizontal trench or drain dug below the water table to abstract shallow groundwater, usually from unconsolidated alluvium, including sand rivers, or windblown deposits. The trench drains into a sump from where water is abstracted. The gallery may have to be lined to keep it open.
- **Qanats** - Which are an ancient method of tapping and transporting groundwater in many parts of North African and the Middle East. A qanat comprises a mother well, often in alluvial deposits at the edge of a mountain range, and a gently inclined covered, underground channel which allows groundwater to flow downhill to a village.

Karst Topography

Karst is a topography formed from the dissolution of soluble rocks such as limestone, dolomite, and gypsum. It is characterized by underground drainage systems with sinkholes and caves. It has also been documented for more weathering-resistant rocks, such as quartzite, given the right conditions. Subterranean drainage may limit surface water, with few to no rivers or lakes. However, in regions where the dissolved bedrock is covered (perhaps by debris) or confined by one or more superimposed non-soluble rock strata, distinctive karst features may occur only at subsurface levels and can be totally missing above ground

The study of *paleokarst* (buried karst in the stratigraphic column) is important in petroleum geology because as much as 50% of the world's hydrocarbon reserves are hosted in carbonate rock, and much of this is found in porous karst systems




 PRINCIPAL
 M.G.Arts, Science &
 Late N.P.Commerce College
 ARMORI, Dist.Gadchiroli



Group III

Project Report

On

"Current Scenaria & Future Prospect of Solar Power, Hydrogen Power & Fuel Cells."

Miss. Sandhya A. Meshram Miss. Pratiksha B. Meshram

Miss. Indrayani V. Nakade

Mr. Jayesh T. Nandanwar Mr. Gourav D. Nandeshwar

Mr. Ritesh M. Munjamkar

B.Sc Final Year (Semester VI)

Submitted to

Department of Geology

M.G. College Armori

Gondwana University, Gadchiroli



Guided By

Prof. Dr. C.P. Dorlikar

Professor and Head

P.G. Department of Geology

P.G. DEPARTMENT OF GEOLOGY M.G. COLLEGE ARMORI

GONDWANA UNIVERSITY, GADCHIROLI

YEAR 2021-2022



CERTIFICATE

This is to certified that Miss 1) Sandhya A. Meshram 2) Pratiksha B. Meshram 3) Indrayani V. Nakade 4) Jayesh T. Nandanwar 5) Gourav D. Nandeshwar & Ritesh M. Munjamkar has carried out project work on

" Current Scenaria & Future Prospet of Solar Power, Hydrogen Power & Fule Cells"

Under the concern faculty supervision for the partial fulfillment of the Post Graduation in B.Sc. She has carried out Project Work in the Field and laboratories of the department of Geology. Mahatma Gandhi College Armori & Gondwana University Gadchiroli.

She is fulfilled all the necessary requirements of the regulation related to the nature the prescribed period of work as per rules required under the ordinance related to the Post Graduation, Department of Geology of the M.G. College Armori, Gondwana University Gadchiroli.



Internal Examiner

External Examiner



PRINCIPAL
M.G.Arts Science &
Late N.P.Commerce College
ARMORI, Dist.Gadchiroli



ACKNOWLEDGEMENT

I must express my sincere and whole hearted thanks to M.G. College Armori, Gondwana University for giving this opportunity to submit the project.

I wish to express my deep and whole heartily gratitude to Asst. Prof. Dr. C.P. Dorlikar Prof. and Head of Department of Geology M.G. College Armori Whose constant guidance contributed towards the completion of work.

I specially acknowledge with thanks to Asst. Prof. P.S. Ganvir Post Graduation Department of Geology for his helping nature and efforts which helped and solve all difficulties.

One again I pledge my sincere gratitude to all other who helped me directly and indirectly for the accomplishment of my goal.

Date :-

Place :-

Sandhya A. Meshram

Sandhya A. Meshram

Pratiksha B. Meshram

Pratiksha B. Meshram

Indrayani V. Nakade

I. V. Nakade

Jayesh T. Nandanwar

Jayesh T. Nandanwar

Gourav D. Nandeshwar

Gourav D. Nandeshwar

Ritesh M. Munjamkar

Ritesh M. Munjamkar

B.Sc Final Year

Sem (VI)



Solar power



Solar power is the conversion of energy from sunlight into electricity, either directly using photovoltaics (PV), indirectly using concentrated solar power, or a combination. Concentrated solar power systems use lenses or mirrors and solar tracking systems to focus a large area of sunlight into a small beam. Photovoltaic cells convert light into an electric current using the photovoltaic effect.^[1]

Photovoltaics were initially solely used as a source of electricity for small and medium-sized applications, from the calculator powered by a single solar cell to remote homes powered by an off-grid rooftop PV system. Commercial concentrated solar power plants were first developed in the 1980s. As the cost of solar electricity has fallen, the number of grid-connected solar PV systems has grown into the millions and gigawatt-scale photovoltaic power stations are being built. Solar PV is rapidly becoming an inexpensive, low-carbon technology to harness renewable energy from the Sun. The current largest photovoltaic power station in the world is the Pavagada Solar Park, Karnataka, India with a generation capacity of 2050 MW.^[2]

The International Energy Agency projected in 2014 that under its "high renewables" scenario, by 2050, solar photovoltaics and concentrated solar power would contribute about 16 and 11 percent, respectively, of worldwide electricity consumption, and solar would be the world's largest source of electricity. Most solar installations would be in China and India.^[3] In 2019, solar power generated 2.7% of the world's electricity, growing over 24% from the previous year.^[4] As of October 2020, the unsubsidised levelised cost of electricity for utility-scale solar power is around \$36/MWh.

Mainstream technologies

Many industrialized nations have installed significant solar power capacity into their grids to supplement or provide an alternative to conventional energy sources while an increasing number of less developed nations have turned to solar to reduce dependence on expensive imported fuels (see *solar power by country*). Long distance transmission allows remote renewable energy resources to displace fossil fuel consumption. Solar power plants use one of two technologies:

- Photovoltaic (PV) systems use solar panels, either on rooftops or in ground-mounted solar farms, converting sunlight directly into electric power.
- Concentrated solar power (CSP, also known as "concentrated solar thermal") plants use solar thermal energy to make steam, which is thereafter converted into electricity by a turbine.

PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce College
ARMORI, Dist. Gadchiroli



Fuel cell

A **fuel cell** is an electrochemical cell that converts the chemical energy of a fuel (often hydrogen) and an oxidizing agent (often oxygen^[1]) into electricity through a pair of redox reactions.^[2] Fuel cells are different from most batteries in requiring a continuous source of fuel and oxygen (usually from air) to sustain the chemical reaction, whereas in a battery the chemical energy usually comes from metals and their ions or oxides^[3] that are commonly already present in the battery, except in flow batteries. Fuel cells can produce electricity continuously for as long as fuel and oxygen are supplied.

The first fuel cells were invented by Sir William Grove in 1838. The first commercial use of fuel cells came more than a century later following the invention of the hydrogen–oxygen fuel cell by Francis Thomas Bacon in 1932. The alkaline fuel cell, also known as the Bacon fuel cell after its inventor, has been used in NASA space programs since the mid-1960s to generate power for satellites and space capsules. Since then, fuel cells have been used in many other applications. Fuel cells are used for primary and backup power for commercial, industrial and residential buildings and in remote or inaccessible areas. They are also used to power fuel cell vehicles, including forklifts, automobiles, buses, boats, motorcycles and submarines.

There are many types of fuel cells, but they all consist of an anode, a cathode, and an electrolyte that allows ions, often positively charged hydrogen ions (protons), to move between the two sides of the fuel cell. At the anode a catalyst causes the fuel to undergo oxidation reactions that generate ions (often positively charged hydrogen ions) and electrons. The ions move from the anode to the cathode through the electrolyte. At the same time, electrons flow from the anode to the cathode through an external circuit, producing direct current electricity. At the cathode, another catalyst causes ions, electrons, and oxygen to react, forming water and possibly other products. Fuel cells are classified by the type of electrolyte they use and by the difference in startup time ranging from 1 second for proton-exchange membrane fuel cells (PEM fuel cells, or PEMFC) to 10 minutes for solid oxide fuel cells (SOFC). A related technology is flow batteries, in which the fuel can be regenerated by recharging. Individual fuel cells produce relatively small electrical potentials, about 0.7 volts, so cells are "stacked", or placed in series, to create sufficient voltage to meet an application's requirements.^[4] In addition to electricity, fuel cells produce water, heat and, depending on the fuel source, very small amounts of nitrogen dioxide and other emissions. The energy efficiency of a fuel cell is generally between 40 and 60%; however, if waste heat is captured in a cogeneration scheme, efficiencies of up to 85% can be obtained.^[5]

History

The first references to hydrogen fuel cells appeared in 1838. In a letter dated October 1838 but published in the December 1838 edition of *The London and Edinburgh Philosophical Magazine and Journal of Science*, Welsh physicist and barrister Sir William Grove wrote about the development of his first crude fuel cells. He used a combination of sheet iron, copper and porcelain plates, and a solution of sulphate of copper and dilute acid.^{[6][7]} In a letter to the same publication written in December 1838 but published in June 1839, German physicist Christian Friedrich Schönbein discussed the first crude fuel cell that he had invented. His letter discussed current generated from hydrogen and oxygen dissolved in water.^[8] Grove later sketched his design, in 1842, in the same journal. The fuel cell he made used similar materials to today's phosphoric acid fuel cell.

In 1932, English engineer Francis Thomas Bacon successfully developed a 5 kW stationary fuel cell.^[11] The alkaline fuel cell (AFC), also known as the Bacon fuel cell after its inventor, is one of the most developed fuel cell technologies, which NASA has used since the mid-1960s.^{[11][12]}

In 1955, W. Thomas Grubb, a chemist working for the General Electric Company (GE), further modified the original fuel cell design by using a sulphonated polystyrene ion-exchange membrane as the electrolyte. Three years later another GE chemist, Leonard Niedrach, devised a

PRINCIPAL
M.G.Arts, Science &
Late N.P.Commerce College
4/20/2021, North Gadchiroli




way of depositing platinum onto the membrane, which served as catalyst for the necessary hydrogen oxidation and oxygen reduction reactions. This became known as the "Grubb-Niedrach fuel cell".^{[13][14]} GE went on to develop this technology with NASA and McDonnell Aircraft, leading to its use during Project Gemini. This was the first commercial use of a fuel cell. In 1959, a team led by Harry Ihrig built a 15 kW fuel cell tractor for Allis-Chalmers, which was demonstrated across the U.S. at state fairs. This system used potassium hydroxide as the electrolyte and compressed hydrogen and oxygen as the reactants. Later in 1959, Bacon and his colleagues demonstrated a practical five-kilowatt unit capable of powering a welding machine. In the 1960s, Pratt & Whitney licensed Bacon's U.S. patents for use in the U.S. space program to supply electricity and drinking water (hydrogen and oxygen being readily available from the spacecraft tanks). In 1991, the first hydrogen fuel cell automobile was developed by Roger Billings.^{[15][16]}

UTC Power was the first company to manufacture and commercialize a large, stationary fuel cell system for use as a co-generation power plant in hospitals, universities and large office buildings.^[17]

In recognition of the fuel cell industry and America's role in fuel cell development, the US Senate recognized 8 October 2015 as National Hydrogen and Fuel Cell Day, passing S. RES 217. The date was chosen in recognition of the atomic weight of hydrogen

Types of fuel cells

Fuel cells come in many varieties; however, they all work in the same general manner. They are made up of three adjacent segments: the anode, the electrolyte, and the cathode. Two chemical reactions occur at the interfaces of the three different segments. The net result of the two reactions is that fuel is consumed, water or carbon dioxide is created, and an electric current is created, which can be used to power electrical devices, normally referred to as the load.



At the anode a catalyst oxidizes the fuel, usually hydrogen, turning the fuel into a positively charged ion and a negatively charged electron. The electrolyte is a substance specifically designed so ions can pass through it, but the electrons cannot. The freed electrons travel through a wire creating the electric current. The ions travel through the electrolyte to the cathode. Once reaching the cathode, the ions are reunited with the electrons and the two react with a third chemical, usually oxygen, to create water or carbon dioxide.

Design features in a fuel cell include:

- The electrolyte substance, which usually defines the *type* of fuel cell, and can be made from a number of substances like potassium hydroxide, salt carbonates, and phosphoric acid.^[19]
- The fuel that is used. The most common fuel is hydrogen.
- The anode catalyst, usually fine platinum powder, breaks down the fuel into electrons and ions.
- The cathode catalyst, often nickel, converts ions into waste chemicals, with water being the most common type of waste.^[20]

PRINCIPAL
M.G.Arta, Science &
Late N.P.Commerce College
ARMORI, Dist: Gadchiroli



way of depositing platinum onto the membrane, which served as catalyst for the necessary hydrogen oxidation and oxygen reduction reactions. This became known as the "Grubb-Niedrach fuel cell".^{[13][14]} GE went on to develop this technology with NASA and McDonnell Aircraft, leading to its use during Project Gemini. This was the first commercial use of a fuel cell. In 1959, a team led by Harry Ihrig built a 15 kW fuel cell tractor for Allis-Chalmers, which was demonstrated across the U.S. at state fairs. This system used potassium hydroxide as the electrolyte and compressed hydrogen and oxygen as the reactants. Later in 1959, Bacon and his colleagues demonstrated a practical five-kilowatt unit capable of powering a welding machine. In the 1960s, Pratt & Whitney licensed Bacon's U.S. patents for use in the U.S. space program to supply electricity and drinking water (hydrogen and oxygen being readily available from the spacecraft tanks). In 1991, the first hydrogen fuel cell automobile was developed by Roger Billings.^{[15][16]}


UTC Power was the first company to manufacture and commercialize a large, stationary fuel cell system for use as a co-generation power plant in hospitals, universities and large office buildings.^[17]

In recognition of the fuel cell industry and America's role in fuel cell development, the US Senate recognized 8 October 2015 as National Hydrogen and Fuel Cell Day, passing S. RES 217. The date was chosen in recognition of the atomic weight of hydrogen

Types of fuel cells

Fuel cells come in many varieties; however, they all work in the same general manner. They are made up of three adjacent segments: the anode, the electrolyte, and the cathode. Two chemical reactions occur at the interfaces of the three different segments. The net result of the two reactions is that fuel is consumed, water or carbon dioxide is created, and an electric current is created, which can be used to power electrical devices, normally referred to as the load.

At the anode a catalyst oxidizes the fuel, usually hydrogen, turning the fuel into a positively charged ion and a negatively charged electron. The electrolyte is a substance specifically designed so ions can pass through it, but the electrons cannot. The freed electrons travel through a wire creating the electric current. The ions travel through the electrolyte to the cathode. Once reaching the cathode, the ions are reunited with the electrons and the two react with a third chemical, usually oxygen, to create water or carbon dioxide.



Design features in a fuel cell include:

- The electrolyte substance, which usually defines the *type* of fuel cell, and can be made from a number of substances like potassium hydroxide, salt carbonates, and phosphoric acid.^[19]
- The fuel that is used. The most common fuel is hydrogen.
- The anode catalyst, usually fine platinum powder, breaks down the fuel into electrons and ions.
- The cathode catalyst, often nickel, converts ions into waste chemicals, with water being the most common type of waste.^[20]


PRINCIPAL
M.G.A.P.S. Science &
Late N.P. Commerce College
ARMORI, Dist: Gadchiroli



- Gas diffusion layers that are designed to resist oxidization.^[20]

A typical fuel cell produces a voltage from 0.6 to 0.7 V at full rated load. Voltage decreases as current increases, due to several factors:

-
-
- Activation loss
- Ohmic loss (voltage drop due to resistance of the cell components and interconnections)
- Mass transport loss (depletion of reactants at catalyst sites under high loads, causing rapid loss of voltage).^[21]


PRINCIPAL
M.G. Arts, Science &
Late N.P. Commerce College
ARMORI, Distt. Gadchiroli



Group IV

PROJECT REPORT

SESSION YEAR - 2020 - 2021

Topic :- **MAJOR TYPES OF SOURCES OF ENERGY**

SUBMITTED BY :-

Vaibhav B. Dhandare

Mehul A. Dhakate

Pranali H. Chapale

Payal S. Chilbule

Pratima Y. Dhakate

SUBMITTED TO :-

DEPARTMENT OF GEOLOGY (SEM VI)

M. G. COLLEGE, ARMORI (GONDWANA UNIVERSITY, GADCHIROLI)



GUIDED BY -

Prof- Dr. C. P. Dorlikar

Prof- P. S. Ganvir

Department of Geology



CERTIFICATE

This is to certify that 1) Vaibhav B. Dhandare 2) Mehul A. Dhakate 3) Pranali H. Chapale 4) Payal S. Chilbule 5) Pratima Y. Dhakate has carried out project work on,

"Major types and sources of energy".

Under the concern faculty supervision for the partial fulfilment of the Graduation in B.Sc. We have carried out project work in the field and laboratories of the department of Geology, Mahatma Gandhi College Armori and Gondwana University Gadchiroli.

We have fulfilled all the necessary requirements of the regulation related to nature the prescribed period of work as per rules required under the ordinance related to the Graduation, Department of Geology of the M.G. College Armori, Gondwana University Gadchiroli.

EXTERNEL EXAMINER


INTERNAL EXAMINER



PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli



ACKNOWLEDGEMENT

We five students of B.sc of 3rd year in **M. G. College, Armori** are preparing a final year project name "**Major types and sources of energy**". We whole heartedly express our sincere gratitude to **Dr. C. P. Dorlikar** and **Prof. Priyadarshan Ganvir**. Who guided us for the completion of the final year project. We are also thankful to all our teachers for explaining on critical aspects of topics related to the project. We are also grateful to the assistances of Lab for permitting us to have some help from them. We would like thank all of the faculty member of all other respective departments for their intimate cooperation throughout the period of project completion.

1. Vaibhav Bhaiyyaji Dhandare
2. Pranali Hiranman Chapale
3. Payal Sukhdeo Chibbule
4. Mehul Anand Dhakate
5. Pratima Yogiraj Dhakate





CONTENTS

MAJOR TYPES OF SOURCES OF ENERGY

IMPORTANCE OF ENERGY RESOURCES AND TYPES

1. RENEWABLE SOURCES OF ENERGY
 - A. WIND ENERGY
 - B. SOLAR ENERGY
 - C. GEOTHERMAL ENERGY
 - D. NUCLEAR ENERGY


2. NON- RENEWABLE SOURCES OF ENERGY
 - A. CHEMICAL ENERGY
 - B. ELECTRICAL ENERGY
 - C. COAL
 - D. NATURAL GAS



PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli



MAJOR TYPES OF SOURCES OF ENERGY

Energy is simply defined in physics as the ability to do work. Sun is the ultimate source of our energy in our solar system. Energy is the basic need of living things and life cannot exist without energy. Primitive man discovered fire and used it for various reasons and even in today's world energy is the basic need of industrialized world. Plants trap the solar energy for their photosynthesis. In cyclic manner we get the indirect energy from the plants. Like this, other energy sources are developed by human beings for their need.




PRINCIPAL
M.G.Arts, Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli



1. Wind Energy:




Wind has energy as it moves with high speed and the energy is being harnessed for our needs. Traditional energies used are depleting, hence it is used. Wind power is produced by natural and renewable sources with modern technologies. It does not pollute the environment and a cheap source of energy. The wind mills are used to generate electricity. The huge blades of windmills move with the high speed of the wind to generate required electricity. India is geographically blessed with coastal areas, deserts and hills to utilize this energy. In India, Kerala, Gujarat, Tamil Nadu produce wind energy. Denmark, China, USA and Germany are the main producers of wind energy.

PRINCIPAL
M.G.Arts,Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli



B. Geothermal Energy:

GEOTHERMAL ENERGY




This is the energy produced beneath the Earth surface. Inside the Earth surface the temperature is quite high. This high temperature heats up the underground water and produces steam. This steam is then utilized to run turbines to produce electrical energy. New Zealand, USA and Iceland utilized this source of energy.

PRINCIPAL
M.G. Arts, Science &
Late N.P. Commerce College
ARMORI, Distt. Gadchiroli



4. Natural Gas:




This gas is produced plentifully in marshy areas. Its main component is methane. This colorless and odourless gas is lighter than air. For this reason before transporting filled in cylinders, it is mixed with a chemical mercaptan to provide strong odour. Natural gas is used for cooking in the form of LPG and also used as a fuel in automobiles. Compressed Natural Gas (CNG) is a clean fuel used in many industries too.

➤ conclusion

The world is quickly moving towards energy sustainability. At the same time, the mankind is trying to re-establish the connection it once had with nature. An energy efficient home is a personal step toward the direction of renewable energy, environmental protection, and sustainable living.

Due to increase in human population and limited source of fossil fuels, renewable energy acts as the alternative for energy requirement. Burning of these fossil fuels causes air pollution and environmental hazards. For these reasons renewable energy sources are opt now a days.


PRINCIPAL
M.G.Arts, Science &
State N.P.Commerce College
ARMORI, Distt.Gadchiroli



Project Work B.Sc. III (Microbiology) Group - I



"Efficacy of Antimicrobial Activity of Aqueous Extract of Garlic and Ginger against Different Bacterial Species"

A Project Submitted To

Gondwana University, Gadchiroli

In Partial Fulfilment of Three Years Full-Time Graduation Degree
Program

B.Sc-III (Microbiology)

Submitted By

Sharad S. Bhandekar

(GROUP LEADER)

Under The Guidance of

Prof. Harshala Shende mam



**Mahatma Gandhi Arts, Science & Late N. P Commerce College,
Armori .**

Session 2020-21.



Mahatma Gandhi College , Armori .

UNDER GRADUATE DEPARTMENT OF MICROBIOLOGY

• CERTIFICATE •

This is certify that they are the Bonafide student of **B.Sc-III (Microbiology)** of this college for the session **2020-2021**. They have completed their dissertation under the guidance of **Prof. Harshala shende** on the project.

"Efficacy of Antimicrobial Activity of Aqueous Extract of Garlic and Ginger against Different Bacterial Species"

This dissertation is being submitted to Gondwana university Gadchiroli for the partial fulfilment of the requirement for the award of degree of Bachelor of Science in Microbiology.

Date :-

Place :- Armori .


PRINCIPAL
Dr. L.H. Khalsa
Late N.P. Commerce College
ARMORI, Distt. Gadchiroli
(Principal)



Mahatma Gandhi College Armori.

Mahatma Gandhi College , Armori .

UNDER GRADUATE DEPARTMENT OF MICROBIOLOGY

• CERTIFICATE •

This is certify that they are the Bonafide student of **B.Sc-III** (Microbiology) of this college for the session 2020-2021. They have completed their dissertation under the guidance of **Prof. Harshala shende** on the project.

"Efficacy of Antimicrobial Activity of Aqueous Extract of Garlic and Ginger against Different Bacterial Species"

This dissertation is being submitted to Gondwana university Gadchiroli for the partial fulfilment of the requirement of for the award of degree of Bachelor of Science in microbiology.

Date :-


Place :- Armori

Harshala Shende
05-08-21

Prof . Harshala Shende

(HOD)

U.G. DEPARTMENT of MICROBIOLOGY,
Mahatma Gandhi College, Armori .


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,



Sr. No.	Name Of Students	Photos	Signature
1	Sharad S. Bhandekar		
2	Ku. Seema S. Shiwankar		
3	Ku. Sharaddha M. Wadhai		

Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College




Sr. No.	Name of student	Photo	Signature
4	Ku. Ruchita C. Meshram		
5	Ku. Khushbu D. Durugkar		
6	Ku. Poonam L. Lonare		

Principal
Mahatma Gandhi Arts,
Science & Commerce



Sr . No .	Name Of Students	Photo	Signature
7	Ku. Sharada N. Gajpure		S.N. Gajpure
8	Ku. Prajakta A. Lade		
9	Ku. Lakxmi S. Nagapure		


 Principal
 Mahatma Gandhi Arts,
 Science & Lata
 N. P. Commerce College,



Sr. No.	Name Of Students	Photo	Signature
10	Yash K. Kuthe		
11	Suraj M. Bhargawli		
12	Ku . Sofiya S. Pathan		


 Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Armori, Dist - Gadchiroli



Introduction :-

Antimicrobial resistance (AMR) is the ability of a microbe to resist the effects of medication previously used to treat them. The increased usage of antibiotics has induced micro-organism to acquire resistance factor which have become a burning predicament.

Resistant microbes are increasingly difficult to treat, requiring alternative medication or higher doses both of which may be more expensive or more toxic. Even in the animal treatment abrupt use of antibiotics is one of the major cause of antimicrobial resistance. The WHO, concluded that inappropriate use of antibiotics in animal husbandry is an underlying contributor to the emergence and spread of antibiotic resistant germs. As a result there is an urgent need to find the alternative of antibacterial drugs for treating the disease especially from plant origin which are easily available and with less side effects.

Many medicinal plants are documented to have antimicrobial activity like ginger and garlic etc. among which Garlic belonging to Alliaceae family. Apart from cooking Garlic also known for its medicinal values. It is most commonly used in Asia also in India. In India it is used in various forms like garlic powder, garlic oil or whole garlic. Property of garlic like anti-tumor, in cardiovascular disorder, in liver damage already documented. It also shows effect on the blood pressure, blood sugar and cholesterol. Apart from its uses in arthritis, cramps, sprain, constipation vomiting, hypertension, fever also have the antimicrobial property. With these information present work is aimed to evaluate the antimicrobial efficacy of aqueous extracts of Garlic & Ginger against E. Coli and Staphylococcus aureus.




CONCLUSION



"EFFICACY OF ANTIMICROBIAL ACTIVITY OF AQUEOUS EXTRACT OF GARLIC AND GINGER AGAINST DIFFERENT BACTERIAL SPECIES"

**MAHATMA GANDHI ARTS , SCIENCE AND N.P.COMMERCE COLLEGE ,
ARMORI .**

SESSION 2020-21


Principal,
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



6 . Conclusion :-

The result of this present study have proven that the all solutions extraction of have great potential as antibacterial agents in the treatment of infectious organism further, detailed investigation of the active compound of the Ginger and Garlic for the exact mechanism of action will contribute greatly to the development new pharmaceuticals



Principal
Mahatma Gandhi Arts,
Science & Late
N P Commerce College,
Armoir, Dist - Gadchiroli



Group II

DISSERTATION



**"Isolation and Identification of Pathogenic Bacteria From
College Premises."**

**A Project Submitted To
Gondwana University, Gadchiroli
In Partial Fulfillment of Three Years Full-Time Graduation
Degree Program**

B.Sc. III (MICROBIOLOGY)

SUBMITTED BY

**Ms. Reshma R. Vakkayil
(Group leader)**

**UNDER THE GUIDANCE OF
Prof. Ms. Harshala Shende**



**Mahatma Gandhi Arts, Science & Late N.P.
Commerce College, Armori**

SESSION 2020-2021



MAHATMA GANDHI COLLEGE ARMORI

UNDER GRADUATE DEPARTMENT OF MICROBIOLOGY


CERTIFICATE

This is to certify that they are Bonafide student of B.Sc. part III (Microbiology) of this college for the session 2020-2021. They have completed their dissertation under the guidance of **Prof. Ms. Harshala Shende** on the project entitled **"Isolation and Identification of Pathogenic Bacteria From College Premises."**

This dissertation is being submitted to the Gondwana University Gadchiroli, for the partial fulfillment of the requirement for the award of Degree of Bachelor of Science in Microbiology.


Date:

Place: Armori


Dr. L.H. Khalsa

PRINCIPAL
Mahatma Gandhi Arts, Science &
Late N.P. Commerce College
ARMORI, Distt. Gadchiroli

Mahatma Gandhi College, Armori


Principal
Mahatma Gandhi Arts,
Science & Late
N.P. Commerce College,
Armori, Dist - Gadchiroli







ACKNOWLEDGEMENT

We are extremely grateful to our principal Dr. L. H. Khalsa for his support and permission to carry our project in this college. We express our regards towards **Prof. Ms. Harshala Shende**, Department of Microbiology, Mahatma Gandhi College Armori. This dissertation was possible only because of her active guidance and infinite help. We express our heart full thanks and sincere gratitude for providing all possible facilities in the laboratory to our project guide **Prof. Ms. Harshala Shende**, Department of Microbiology, Mahatma Gandhi College Armori for guiding our dissertation. We are thankful to her for her tremendous support, timely suggestions and encouragement for the completion our dissertation. We should like to express deep gratitude to our parents for providing the moral support and encouragement and our colleagues for having stood by us during the duration of dissertation. We thank the almighty for having given us the strength and ability to successfully complete our work with honesty.


Mahatma Gandhi Arts,
Science & Late
N P College,
Armori - Gadchiroli



Student List

Sr. No.	Student Name	photo	Signature
1.	Akshay W. Madavi		
2.	Akanksha S. Satelwar		
3.	Bhagyashri M. Nikhare		
4.	Chandni G. Jumnake		
5.	Keshar O. Nimakar		

Principal
Mahatma Gandhi Arts,
Science & Late
W. P. Commerce College,
Amravati, Dist - Gadchiroli



INDEX

6.	Kanchan S. Akare		
7.	Pallavi R. Ingale		<i>Ingale</i>
8.	Purva M. Dewang		<i>Dewang</i>
9.	Reshma R. Vakkayil		<i>Vakkayil</i>
10.	Sneha Y. Chaple		<i>Chaple</i>
11.	Vishakha D. Zade		<i>Zade</i>


Principal
 Mahatma Jyotiba Phule
 Science & Late
 N. P. Commerce College,
 Armodi, Dist - Gadchiroli



INDEX

Sr.no	Content	Page no.
1.	Introduction	1-4
2.	Review of literature	5-6
3.	Aim and Objective	7
4.	Materials and Method	8-12
5.	conclusion	13
6.	References	14-15


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



Introduction

Most of the people live indoor: houses, schools, colleges, hospitals, and offices etc, where they are exposed to many environmental conditions that affect their health. Microorganisms are normally present in both indoor and outdoor environments. The quantity of microorganisms in a particular area depends upon the presence of water and other nutrient sources in that particular environment where they can develop extensively. Usually microorganisms enter into buildings through the doors, windows, air conditioners and also by people entering from outside. The type of species and amount of organisms present depends on the viscosity, temperature, lighting and food available in that particular environment. Among the microorganisms present in the indoor environment, some species of microorganisms if present beyond the limit can cause serious health problems. So the isolation, identification and measurement of different types of microorganisms especially in indoor environment has become a very hot topic at present and it has attracted everyone's attention in this field. Among the indoor microorganisms; some may be pathogenic and could secrete toxic metabolites which can cause allergy and even serious diseases. Since a number of students are studying in our college attending both theory and practical sessions they are exposed to a number of pathogenic bacteria which can affect their health if proper care is not taken. Environmental pathogens are defined as microorganisms that normally spend a substantial part of their lifecycle outside human hosts, but when introduced to humans cause disease with measurable frequency. They are borne in the water, soil, air, food, and other elements of our surroundings, and they affect almost every individual on the planet. Their adverse effects on human health and productivity cannot be controlled without first obtaining a thorough understanding of their environmental niches, their incidence, and the epidemiology of the diseases they cause. To achieve this understanding, surveillance of the environment to determine the numbers and distribution of environmental pathogens is needed. The key difference between environmental pathogens and other human pathogens is their ability to survive and thrive outside the host. Their widespread occurrence in the environment makes them difficult to monitor


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Arnuti, Dist - Gadchiroli





E.coli (Escherichia Coli)

E. coli is a Gram – negative, facultative anaerobic, rod – shaped, coliform bacterium of the Genus Escherichia that is commonly found in the lower intestine of warm – blooded organisms. E. coli is expelled into the environment within fecal matter. The bacterium grows massively in fresh fecal matter under aerobic condition for 3 days, but its number decline slowly afterwards. E- coli can live on a wide variety of substrates and uses mixed - acid fermentation in anaerobic conditions, producing lactate, succinate, ethanol, acetate and carbon dioxide. Since, many pathway in mixed – acid fermentation produced hydrogen gas, these pathways require the levels of hydrogen to be low, as is the case when E. coli lives together with hydrogen – consuming organisms, such as methanogens or sulphate – reducing bacteria.

Scientific classification

Domain: Bacteria
Phylum: Proteobacteria
Class: Gammaproteobacteria
Order: Enterobacterales
Family: Enterobacteriaceae
Genus: Escherichia
Species: E. coli
Binomial name: Escherichia coli





Principal
Mahatma Gandhi Arts,
Science & Late
W. P. Commerce College,
Armori, Dist - Gadchiroli



Page | 3

Conclusion

On the basis of some research papers we concluded that Microbial monitoring of our college premises was carried out in order to prevent from health hazards. Since, the organisms can cause serious disease, proper care should be taken by avoiding overcrowding. Good ventilation facilities should be provided in college laboratories, toilets along with other places of college should be cleaned and disinfected daily. On plate exposure at different sites of colleges and swabs taken Bacillus species and Staphylococcus aureus were found most commonly. Bacillus normal air microflora and they do not cause serious health problem commonly whereas Staphylococcus aureus is an opportunistic bacteria that can cause serious health problem to the student in the college premises. This project will be helpful to keep the college environment free of pathogenic microorganisms. Hence, regular monitoring of air quality evaluation should be done in order to make environment free of microorganisms.


Principal
Mahatma Gandhi Arts,
Science & Late
N P Commerce College,
Amori, Dist - Gadchiroli



Group III



**"ANTIMICROBIAL ACTIVITY OF MEDICINAL SOAP ON
MICROORGANISMS"**

**PROJECT SUBMITTED TO
GONDWANA UNIVERSITY, GADCHIROLI
IN PARTIAL FULFILLMENT OF THREE YEARS FULL-TIME GRADUATION DEGREE
PROGRAM
B.Sc. - III (MICROBIOLOGY)**

**SUBMITTED BY
Ms. RASHMI. N. GODSE
(GROUP LEADER)**

**UNDER THE GUIDANCE OF
PROF. Ms. HARSHALA SHENDE**



**MAHATMA GANDHI ARTS, SCIENCE & LATE N. P. COMMERCE COLLEGE,
ARMORI
SESSION 2020-2021**



MAHATMA GANDHI COLLEGE, ARMORI
UNDER GRADUATE DEPARTMENT OF MICROBIOLOGY

CERTIFICATE

This is to certify that they are the bonafide students of B.Sc.-III (microbiology) of this college for the session 2020-2021. They have completed their dissertation under the guidance of **Prof. Ms. Harshala Shende** on the project, "**Antimicrobial activity of medicinal soaps on microorganisms**".

This dissertation is being submitted to Gondwana University Gadchiroli for the partial fulfillment of the requirement for the award of degree of Bachelor of Science in microbiology.

Date: -

Place: - Armori


PRINCIPAL
Dr. L. H. Shinde
Late N.P. Commerce College
ARMORI, Dist. Gadchiroli
Principal,

Mahatma Gandhi College, Armori



MAHATMA GANDHI COLLEGE, ARMORI
UNDER GRADUATE DEPARTMENT OF MICROBIOLOGY


CERTIFICATE

This is to certify that they are the bonafide students of B.Sc.-III (microbiology) of this college for the session 2020-2021. They have completed their dissertation under the guidance of **Prof. Ms. Harshala Shende** on the project, "Antimicrobial activity of medicinal soaps on microorganisms".

This dissertation is being submitted to Gondwana University Gadchiroli for the partial fulfillment of the requirement for the award of degree of Bachelor of Science in microbiology.

Date:-

Place:- Armori


05-08-21

Prof. Ms. Harshala Shende


(H.O.D)

UG Department of Microbiology


Mahatma Gandhi College, Armori




R.NO	NAME OF THE STUDENT	PHOTO	SIGNATURE
1	RASHMI N. GODSE		
2	MAYURI K. BHOYAR		
3	TRUPTI J. GHUGHUSKAR		
4	SONALI BHARANE		


 Principal
 Mahatma Gandhi Arts,
 Science & Late
 W P Commerce College,
 Amori, Dist - Gadchiroli




5	MANISHA J. DEVIKAR		
6	SWATI S. DHORE		
7	PALLAVI B. MADAVI		
8	DEVASHISH R. GEDAM		



Principal
 Mahatma Gandhi Arts,
 Science & Late
 W P Commerce College,
 Armodi, Dist - Gadchiroli



9	SUBHASH G. KULE		<u>S. Kule</u>
10	TEJASWINI R. HATWAR		<u>T. Hatwar</u>
11	DEVYANI D. NAKADE		<u>D. Nakade</u>
12	SONALI R. DHORE		<u>S. Dhore</u>



Principal
 Mahatma Gandhi Arts,
 Science & Late
 W. P. Commerce College,
 Armodi, Dist - Gadchiroli



CONTENTS

<u>TOPIC</u>	<u>PAGE NUMBER</u>
INTRODUCTION	1-3
RIVIEW OF LITERATURE	4-6
AIM AND OBJECTIVES	7
MATERIALS AND METHOD	8-10
CONCLUSION	11
REFERENCES	12-13



Principal

Mahatma Gandhi Arts,
Science & Late
N P Commerce College,
Armori, Dist - Gadchiroli



INTRODUCTION

Antimicrobial activity of any substance is defined as its ability to either kill bacteria or inhibit the growth of bacteria. Antimicrobial activity is significant with respect to the human body in preventing diseases and skin infections. Detergents and soaps are the disinfectants required in daily practices for hygienic point. Soaps are cleaning agents, which may be liquid, solid, semisolid or powders. Soaps are used to remove dirt, including dust, microorganisms, stains and bad smells in order to maintain health, beauty and remove bad odor from the body or inanimate objects, including clothes. Chemically soaps are the combination of fats, oils (of animal or vegetable origin) and Salt. Soaps are generally salts of free fatty acid made via saponification, where alkaline substances react with fatty acids in fats or oils. Other substances are then added to this salt of free fatty acid or soap base, to produce the different types of soaps we have. They are mainly used as surfactants for washing, bathing and cleaning. Soaps are either non antimicrobial soaps or an antimicrobial soap, also known as an antiseptic or medicated soap. An antibacterial soap can remove 65% to 85% of bacteria from human skin. The soap should have good ingredients which have the ability to kill bacteria but not to damage body tissues. Number of bacteria including Gram Positive and Gram negative are deposited from the environment on the surface of skin and causes skin infection. Examples of these bacteria include Staphylococcus aureus, Bacillus subtilis and Pseudomonas aeruginosa. Soaps play an important role in removing and killing bacteria. Although fats and oils are general ingredient of soaps but some detergents are added to enhance the antibacterial activities of soaps. The attribute of the soap includes gentleness on the skin, rich lather, protection against skin disorders (including rashes, eczema, scabies) treatment of skin infection (such as ringworm), protection of even skin toning and smoothness of the skin. Soaps are generally used for removal of germs and for cleansing purposes.




Principal
Mahatma Gandhi Arts,
Science & Late
W P Commerce College,
Amori, Dist - Gadchiroli




- **Microbes considered:**

Escherichia coli: *Escherichia coli* also known as *E. coli* is a Gram-negative, facultative anaerobic, rod-shaped, coliform bacterium of the genus *Escherichia*. It can cause skin infections such as cellulitis, and on rare occasions in type 1 necrotizing soft tissue infections (NSTIs), where layers within the dermis, subcutaneous tissue, superficial fascia or muscle become infected.

Staphylococcus aureus: *Staphylococcus aureus* is a Gram-positive, round-shaped bacterium, a member of the Firmicutes, and is a usual member of the microbiota of the body, frequently found in the upper respiratory tract and on the skin. It is the leading cause of skin and soft tissue infections such as abscesses (boils), furuncles, and cellulitis.



E. coli




S. aureus


Principal
Mahatma Gandhi Arts,
Science & Late
P. D. Commerce College,
Arneri, Dist - Gadchiroli



CONCLUSION

Instead of soaps, the alternative techniques which were used in the olden days are considered to be the golden techniques and now a days modern soaps have been taking care of both problems like killing the bacteria present on our body and maintain the skin beauty as well. So, from this study, we identified that all the soaps had antimicrobial activity. In this, Dettol soap is considered to be best of all and showed greater antimicrobial activity than any other selected soaps. Hamam soap is considered as the second best followed by Cinthol and Lifebuoy having least antimicrobial activity.



Principal
Mahatma Gandhi Arts,
Science & Late
N P Commerce College,
Armori, Dist - Gadchiroli



Group - IV



****Isolation of bacteria from food samples available at market****

**A Project Submitted To
Gondwana University, Gadchiroli
In Partial Fulfilment of Three Years Full-Time Graduation
Degree Program**

B.Sc-III (Microbiology)

Submitted By

Ku. Shilpa K. Gurnule

(GROUP LEADER)

Under The Guidance of

Prof. Harshala Shende



**Mahatma Gandhi Arts, Science & Late N. P Commerce College,
Armori .**

Session 2020-21.



Mahatma Gandhi College , Armori .

UNDER GRADUATE DEPARTMENT OF MICROBIOLOGY

• CERTIFICATE •

This is certify that they are the Bonafide student of **B.Sc-III (Microbiology)** of this college for the session **2020-2021**. They have completed their dissertation under the guidance of **Prof. Harshala shende** on the project.

"Isloation of bacteria from food samples available at market".

This dissertation is being submitted to Gondwana university Gadchiroli for the partial fulfilment of the requirement for the award of degree of Bachelor of Science in Microbiology.

Date :-

Place :- Armori .


PRINCIPAL
M.G. Arts, Science &
Late N.P. Commerce College
ARMORI, Distt. Gadchiroli
(Principal)

Mahatma Gandhi College Armori.



Mahatma Gandhi College , Armori .

UNDER GRADUATE DEPARTMENT OF MICROBIOLOGY

• CERTIFICATE •

This is certify that they are the Bonafide student of B.Sc-III (Microbiology) of this college for the session 2020-2021. They have completed their dissertation under the guidance of **Prof. Harshala shende** on the project.

"Isloation of bacteria from food samples available at market"

This dissertation is being submitted to Gondwana university Gadchiroli for the partial fulfilment of the requirement of for the award of degree of Bachelor of Science in microbiology.

Date :-


Place :- Armori


05-08-21

Prof . Harshala Shende

(HOD)

**U.G. DEPARTMENT Of MICROBIOLOGY.
Mahatma Gandhi College, Armori .**



**Principal
Mahatma Gandri Arta,
Science & Late
W P Commerce College,
Armori, Dist - Gadchiroli**




Sr. No.	Name Of Students	Photos	Signature
1.	Ku.Shilpa K. Gurnule		
2.	Ku. Minal S. Patre		
3.	Ku. Shital D. Chaudhari		
4.	Ku.Apurva A. Randive		

Principal
Mahatma Gandhi Arts,
Science & State



5.	Ku. Divya S. Rahate		<i>Ds Rahate</i>
6.	Ku. Tinu V. Malode		<i>Tinu Malode</i>
7.	Ku. Vaishnavi K. Bhoyar		<i>V. Bhoyar</i>
8.	Ku. Sonam D. Khunghatkar		<i>S. Khunghatkar</i>

[Signature]
Principal
Mahatma Gandhi Arts,
Science & Commerce

9.	Ku.Prachi V. Kalbandhe		
10.	Ku. Vaishnavi S. Chilange		
11.	Ku.Pranjali R. Yenugwar		
12.	Ku. Sonal L. Hajare		

Principal
Mahatma Gandhi Arts,
Science & Late

• CONTENTS •

Topics	Page no.
• Introduction	1 - 6
• Review of literature	7 - 9
• Aim an objective	10
• Material and methods	11-12
• Conclusion	13
• Reference	14



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Amori, Dist - Gadchiroli

Introduction :-

Bacteria are a group of microorganisms all of which lack a distinct nuclear membrane (and hence are considered more primitive than animal and plant cells) and most of which have a cell wall of unique composition. Most bacteria are unicellular; the cells may be spherical (cocci) rod-shaped (bacillus), spiral (spirillum), comma-shaped (vibrio) or corkscrew-shaped (spirochete). Generally, they range in size between 0.5 and 5 μm .

Food is any substance that people or animal eat or drink or that plants absorb to maintain life and growth. Food is any substance consumed for nutritional support for the body; it is usually of plant or animal origin. Food consists of chemical compounds which heterophilic living things consume in order to carry out metabolic processes. They are also substances which when introduced to the digestive system under normal circumstances contribute to growth, repair and production of energy.

Foods are classified into six essential nutrients known as protein, carbohydrate, vitamin, mineral, fat and oil, water.

PROTEIN:- Proteins are essential constituents of the body; they form the structural material of muscles, tissues, organs, etc. and are equally important as regulators of function, as enzymes and hormones, proteins are synthesized in the body.

CARBOHYDRATE:- One of a large group of compounds, including the sugar and starch, that contain carbon, hydrogen and oxygen. Carbohydrates are important as a source of energy and they are manufactured by plants. All carbohydrates are eventually broken down in the body to the simple sugar glucose which can then take part in energy-producing metabolic processes.

VITAMIN:- Any of a group of substances that are required in very small amounts, for healthy growth and development: they cannot be synthesized by the body and are therefore essential constituents of the diet. Vitamins are divided into two groups, according to whether they are soluble in water or fat.

FAT:- A substance that contains one or more fatty acids (in the form of


Principal
Mahatma Gandhi Arts,
Science & Late



2. REVIEW OF LITERATURE :-

- presence of e.coli our study might attribute to the heat processing failure or postprocessing contamination, faecal contamination and poor hygienic practice of food handler (Eley AR, 1992) Escherichia coli were detected in 44.6% of the food samples. This detection rate was consistent with the previous study carried out in Amravati city, which have reported finding of E.coli in 41% of all food samples (Tambekar DH 2011). This result is in agreement with previous study done by Tambekar DH . In which defective personal hygiene can facilitate the transmission of pathogenic bacteria found in environment and on peoples hand via food to humans (Tambekar DH 2011, Ashenafi M 1995).
- E. Coli 0157:H7 is leading cause of food-borne illness worldwide. Outbreaks have been linked to contaminated drinking water, fresh produce and fruit juices; however food of bovine origin particularly, raw or undercooked ground beef, has been implicated in a large number of the documented outbreaks (Smith and fratamico 2005).
- Andrews and baumler 2005; centers for disease control and prevention 2009. E.coli 0157:H7 is a food-borne pathogen of concern in immunocompromised individual, especially the elderly and young children (Smith and fratamico 2005). The bacterium can caused kidney failure along with gastrointestinal symptoms such as diarrhea, nausea, vomiting and abdominal pain. E.coli 0157:H7 transmitted through a variety of food products. Including Hamburger, apple cider, leafy greens and poultry products, has caused humerus MS 20090199 Submitted 03/06/2009, accepted 20/07/2009. Authors Ravishankar and Zhu of the department veterinary science and microbiology, Univ. Of arizona, 1117 food-borne illness outbreaks (Smith and fratamico 2005).
- The number of colonies was multiplied by the dilution factor and divided by weight of sample and reported as the number of organism per gram of food. Since not all cells grow with any one particular set of conditions, the count was referred to as colony forming units(CFU) per (Vanderzant and splittstoesser).
- This agrees with the report of oranusi et al. That noted that preparation, exposure and handling of RTE food at temperature conducive for microbial proliferation, coupled with rich coleslaw, could be factors that increase microbial load in food. This supports the report of moyozand Baudi that attributed the presence of

Mahatma Gandhi Arts &
Science & Late
M P Commerce College,



Conclusion :-

On the basis of Some research papers we concluded that the Street food business has remained largely unregulated in Nigeria, notwithstanding the sector contribution to the nation's food security. Wholesome and nutritious street foods have a positive impact on foodsecurity, while consumption of street foods of low and below minimumsafety standard is injurious to health on an acute or chronic basis. Thefindings of this study illustrates that bacterial contamination is present in food material.

And that the CFU/ML of Salmonella spp is high, since it is more significant (2.9×10^7 CFU/ml) and can cause food poisoning. Other organisms isolated such as coli, Shigella, staphylococcus. aureus, Bacillus cereus and Vibriospp which were also isolated in insignificant number could still cause food borne illness depending on the consumer's health status.

Staphylococcus aureus was less significant in food material Therefore, it is very important and necessary for food vendors to always clean and sanitize food contact surfaces, cook and store food properly, so as to reduce the level of food contamination and also to reduce bacterial load to the lowest level, thereby preventing cases of food borne infections.


Principal
Bhahatma Gandhi Arts,
Scienra & Late
N. P. Commerce College,
Amori, Dist - Gadchiroli



Study Tour B.Sc. II (Botany)

Field Visit Report

Study of Aquatic Plants of Arsoda Pond

Organized by

Department of Botany

M. G. Arts, Science and Late N. P. Commerce College, Armori

Academic Session 2020-21



To,

The Principal,
Mahatma Gandhi Arts, Science &
Late N. P. Commerce College, Armori

Subject: - To receive permission for field visit.

Respected Sir,

Our Department of Botany organised the field visit for B.Sc. Botany students on dated 07/08/2021 at Arsoda pond for the study of aquatic plants. So kindly give permission for this field visit.

Thanking you.

Date: - 05/08/2021

Place: - Armori


PRINCIPAL
M.G.Arts, Science &
Late N.P.Commerce College
ARMORI, Distt.Gadchiroli


Yours faithfully



**Mahatma Gandhi Arts, Science and Late N. P. Commerce College
Armori, Dist. – Gadchiroli**

Field Visit
Department of Botany
B. Sc. II
List of Students (2020-21)

Sr. No.	Name of Student	Signature
1	Mr. Purushottam G. Kamdi	
2	Mr. Bhushan N. Madhumatke	B.N. Madhumatke
3	Ku. Mayuri K. Gurnule	
4	Ku. Martina R. Ghonmode	
5	Ku. Lina K. Kinchak	
6	Ku. Ashwini Y. Dahare	
7	Ku. Asmita T. Gedam	A.T. Gedam
8	Ku. Nikhita D. Khewale	
9	Ku. Diksha N. Kahalkar	
10	Ku. Shubhada S. Ale	
11	Ku. Shivani A. Dhakate	
12	Ku. Kalyani R. Jumnake	
13	Ku. Nikhita T. Bhisnurkar	
14	Ku. Saradhanjali H. Matere	
15	Ku. Sakshi S. Sontakke	
16	Ku. Venu A. Donadkar	
17	Ku. Dipali S. Shende	
18	Ku. Gauri N. Tijare	
19	Ku. Shivani W. Boga	
20	Ku. Vaidavi V. Badwaik	
21	Ku. Revata S. Sondarkar	

Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



HEAD
Dept. of Botany
M. G. College, Armori.

Field Visit Report


Study of aquatic plants of Arsoda Pond

Field study tour is arranged for the B. Sc. II Students. Botany as per the instructions given in the syllabus of Gondwana University. The field excursion is arranged to botanically significant area for the study of pond Ecology and identification of aquatic plants. Students prepared list of aquatic plants found in Arsoda pond. This imparts knowledge about the new trends in the field of botanical research. Students observed different stages of plant succession floating hydrophytes, submerged hydrophytes and emergent hydrophytes. The tour successfully skilled the students practically of different theoretical concepts of ecology and identification of local flora.

List of plant species

Sr.No.	Family	Botanical Name	Local name
1	<u>Nelumbonaceae</u>	<i>Nelumbo nucifer</i>	Kamal
2	Nymphaeaceae	<i>Nymphaea nouchal</i>	Kamal
3	Lythraceae	<i>Ammania baccifera</i>	-
4	Onagraceae	<i>Ludwewigia</i>	-
5	Trapaceae	<i>Trapa natans</i>	Shingada
6	Asteraceae	<i>Spilanthus paniculata</i>	Akkalkara
7	Menyanthaceae	<i>Nymphoides indicum</i>	Water lily
8	Menyanthaceae	<i>Nymphoides hydrophylla</i>	Water lily
9	Convolvulaceae	<i>Ipomoea aquatica</i>	-
10	<u>Lentibulariaceae</u>	<i>Utricularia</i>	-
11	<u>Acanthaceae</u>	<i>Hygrophilla schulli</i>	Kate-korenti
12	<u>Amaranthaceae</u>	<i>Alternanthera sessilis</i>	-
13	<u>Hydrocharitaceae</u>	<i>Hydrilla verticillata</i>	Chilla
14	<u>Hydrocharitaceae</u>	<i>Ottelia alismoides</i>	-
15	Commelinaceae	<i>Murdania nudiflora</i>	-
16	Lemnaceae	<i>Spirodela polyrhiza</i>	-
17	Aponogetonaceae	<i>Aponogeton undulatus</i>	-
18	Najadaceae	<i>Najas</i> sp.	-
19	Cyperaceae	<i>Eleocharis acutangula</i>	-

20		<i>Eleocharis dulcis</i>	
21		<i>Eleocharis geneculata</i>	
22		<i>Furena ciliaris</i>	
23		<i>Scirpus articulatus</i>	
24		<i>Scirpus lateriflorus</i>	
25	Poaceae	<i>Cynadon dactylon</i>	Durva
26		<i>Sacciolepis indica</i>	
27	<u>Marsileaceae</u>	<i>Marsilea mimuta</i>	Pteridophyte
28	Azollaceae	<i>Azolla</i> sp.	Pteridophyte



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli





Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Armori, Dist - Gadchiroli





Latitude: 20.47811
 Longitude: 79.963008
 Elevation: 285.77±3 m
 Accuracy: 3.0 m
 Time: 08-07-2021 10:35
 Note: Field visit Arsoda pond

Powered by NoteCam



Latitude: 20.478049
 Longitude: 79.962849
 Elevation: 286.93±3 m
 Accuracy: 1.4 m
 Time: 08-07-2021 10:51
 Note: Field visit Arsoda pond

Powered by NoteCam



[Signature]
 HEAD
 Dep. of Botany
 M. G. College, Armori.

[Signature]
 Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Armori, Dist - Gadchiroli

Study Tour B.Sc. II (Zoology)


Mahatma Gandhi Arts, Science and Late N.P. Commerce College
Armori Dist. Gadchiroli (M.S.) 441208

STUDY TOUR REPORT

Topic: sericulture

Session: 2020-21

(Department of Zoology)





MANOHARBHAI SHIKSHAN PRASARAKMANDAL'S
**MAHATMA GANDHI ARTS, SCIENCE &
LATE NASARUDDINBHAI PANJWANI COMMERCE COLLEGE**
ARMORI Dist. Gadchiroli (M.S.) 441 208
Re-accredited by NAAC 'A' with 3.02 CGPA

PRINCIPAL

Dr. Lalsingh H. Khalsa

M. Sc., Ph. D.

Mob. 9422153197

E-mail : lalsinghkhalsa@yahoo.com

S.T.D. : 07137

Office : 266558/266043

Fax : 266558

E-mail : mgcollege.armori@gmail.com

Letter No. 187/21

Date 20/03/2021

To,

The Director,

Regional Tasar Sericulture Centre,
Armori Dist. Gadchiroli.

Subject:- Visit for study purpose

Respected sir,

It is stated that, faculty of Zoology department, is showing their interest in "Study of Sericulture in details in respect to self employment (COP-Sericulture)", hence they decided to visit to your esteemed organization with their students of UG/PG courses in zoology for this purpose.

Proudly, saying that UGC, New Delhi sponsored carrier oriented programme in sericulture has been sanctioned earlier to the Zoology Department of our college.

Kindly permit to visit to your Kosa Vikas Regional TASAR Centre (sericulture centre) Armori along with their students and your help is needed with guidance.

Thanking you.

Yours faithfully,

PRINCIPAL
M.G.Arts, Science &
Late N.P.Commerce College
ARMORI Dist. Gadchiroli

Received
22.3.21

महाराष्ट्र शासन
रेशीम विकास अधिकारी भेगी-१
दरर रेशीम कार्यालय,
आरमोरी
जि. गडचिरोली पिन-४४१ २०-



INTRODUCTION :

Silk is a natural protein fiber, some forms of which can be woven into textiles and was amongst the earliest fiber discovered by man. Silk is a fibroin made of proteins secreted in the fluid state as single filament by a caterpillar. The fibroin is produced by a certain insect larva to form cocoons. The best-known silk is obtained from the cocoons of the larvae of the mulberry silkworm. The shimmering appearance of silk is due to the triangular prism-like structure of the silk fiber, which allows silk cloth to refract incoming light at different angles, thus producing different colors.

Silk has high absorbance, lightweight, soft touch and high durability and known as "Queen of Textiles". Silk has important role in the life and culture of Indians. India has a rich and a complex history in silk production and its trade.

Aim and Objectives:

- ❖ To motivate students for scientific study in the field of Argo-based Industry by performing simple field visits.
 - ❖ To develop skill, to earn regular incomes through sericulture in the villages of Armori tehsil, dist. Gadchiroli area dependent on temperature.
- Many Government subsidies and facilities are provided for the farmers, students also get benefited after study tour of sericulture and they can cultivate sericulture crop.


HEAD
Dept. of Zoology
M. G. College, Armori.


Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



SERICULTURE

The rearing of silkworms for the production of raw silk is known as Sericulture. Silk is the proteins secreted by larvae lepidopteran moths. It is widely use for the manufacture of clothes silk is derived from silk moths mainly belonging to bombycidae Saturnidae families of Lepidoptera.

Sericulture is the art of rearing silkworms under artificial or domesticated conditions and extraction of the silk fiber from the cocoon. The moths belonging to two major families, Bombycidae and Saturnidae of Lepidoptera group of insects produce commercial silk in India Based on the quality and lusture of the silk fibers 4 types of silk secreting moths. The main species of silk secreting moths and Bombyx sp. Attacus sp. And Anthracea sps.

Sericulture involves

Breeding silkworms

Feeding the larvae

Spinning the cocoon

Stoving the chrysalis

The Filature

Sorting and softening the cocoons

Reeling the filament

Packaging the skeins

Forming silk yarn

Degumming thrown yarn

Finishing silk fabrics

Life Cycle of Tassar Silkworm


HEAD
Dept. of Zoology
M. G. College, Ajmeri,




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Ajmeri, Dist - Gadchiroli.

Classification

Kingdom: Animalia

Phylum: Arthropoda

Class: Insecta

Order: Lepidoptera

Genus: Antheraea

Species: mylitta D

Common name: Tassar silkworm

Introduction

Tassar silk is more popularly known as kosa silk. It is less expensive and durable as compare to cultivated silk because of its short fiber length. Tassar silk is different from the normal silk. Here the silk worm bred on local trees like sal, Arjun and saja and not on mulberry trees that is why it is also known as 'wild silk'.

The word tassar apparently derives from the Sanskrit word "Trasara". Tassar silk is mentioned in literature dating back to 1590 B.C. The Indian tassar silkworm, Antheraea mylitta is a natural fauna of tropical India. Wide distribution and polyphagy of this insect species had resulted in extensive variation in the population. As high as nineteen ecoraces have been reported in this species which feed primary on Terminalia species and Shorea robusta and also on number of secondary food plants.

The ecoraes are uni, bi or trivoltine depending upon the geo-ecological conditions and differ from each other in qualitative and quantitative traits. Tassar cocoons are reported to be largest among all the silk- producing insects in the world. Tassar silk fiber has its own distinctive colour, is coarse to feel, but has higher tensile strength, elongation, and stress-relaxation values than the mulberry silk fiber secreted by Bombyx mori. These Properties have made tassar silk as competent and desirable as mulberry silk.

Host Plants:

The larvae of Antherae mylitta are polyphagus and can take leaves of several host plants like Arjun, Asan, Ber, Sal, Jam, Sidha, etc.

Distribution:



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

Fuyet
HEAD
Dept. of Zoology
M. G. College, Armori.

This silk moth is available in China, Sri Lanka in addition to India. In India, it is available in the states of Jharkhand, Chattisgarh, Orissa, A.P. and West Bengal.

Life History:

The tassar silkworms are grown only in the wild. So they are cultivated in places where their host plants are available.

Adult tassar moths

- By piercing one end of the cocoon the adult moths come out.
- Adults are very large with colourful wings spanning about 15cm.
- Females has yellowish gery wings and males possess yellowish red wings and males possess yellowish red wings with prominent eye spots on each wing.
- The males mate the females just after emergence.

Eggs

- After copulation, the female starts laying the eggs. A single female can lay 100-150 eggs.
- The egg is oval, dorsoventrally symmetrical along the anteroposterior axis.
- About 3mm in length and 2.5mm in diameter, it weighs approximately 10mg.
- At oviposition it is dark brown owing to the gummy coating of meconium.
- Two brownish parallel lines along the equatorial plane of the egg divide the surface into three zones; disk, streak and edge.

Larvae

- The eggs hatch within 9-10 days during summer and 15-20 days in winter.
- Following hatching the larvae start taking food leaves from the host plants.
- The larva is typically cruciform and has a hypognathous head with biting and chewing mouthparts.
- On hatching it is dull brownish yellow with black head.
- The body normally turns green and the head brown after about 48 hours, but also yellow, blue and almond-colored larvae are met with occasionally.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



HEAD
Dept. of Zoology
M. G. College, Armori.



Introduction

The worms are generally green in colour with hairs on cuticle.

- It moults 4 times during the whole larval period that continues for 30-55 days during summer and 50-60 days during winter.
- Body coloration is retained throughout the larval period.
- The tassar larvae are stout and smooth, and have rudiment or scoli.

Tassar Cocoon

- The mature larvae spin cocoons hard with different colours according to the type of plant leaves they fed.
- Some are light green, others are yellow, and some are grey and others almost white.
- Unlike mulberry cocoons, the tassar cocoon has a stalk which helps in fixing the cocoons with the twig of host plant. The tassar cocoons attain a size like that of hen's egg.

Life History


Pupa:

- The worms grow into pupae within the cocoon.

Cultivation of tassar worm:

- The tassar rearer collects the female moth from the wild and keeps it tied with the twig of host plant carefully.
- The, males are then attracted by the pheromone secreted by the female and start copulation.
- After mating the female lays eggs which are collected by the farmers and are gummed on long strips of paper – or leaf – made cup which are then hung on suitable host trees, where they hatch quite naturally.
- A barrier of some sort is coiled around the host tree trunks to prevent the caterpillars from wandering
- The worms after hatching start feeding the leaves.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli


HEAD
Dept. of Zoology
M. G. College, Armori.

- During the larval stage, which occupies up to eight weeks, guard is kept against the insect's natural enemies such as bats, birds and beetles.
- On completion of the spinning, the cocoons from the wild instead of eggs.
- Sometimes farmers may collect cocoons from the wild instead of eggs.
- Nowadays from many places, government breeding centers also supply disease-free tassar eggs of desired breeds to the rearers.

Tassar silk

- By two methods, reeling and spinning, yarn can be produced from the cocoons.
- Tassar filaments show the greatest length among the non-mulberry silks, 700m.
- The spun yarn is generally coarse with a denier of 270-280, while the reeled yarn is fine and thin with a denier value of 80-100.
- Tassar silk has natural shades of pale gold, pinkish honey, creamy copperish, etc.
- It is less lustrous but coarse than mulberry silk. The fabric is light, airy, and has its own feel and appeal.

Oak tassar silk moth

- A fine variety of tassar silk is generated by the silkworm *Antheraea proylei* and *A. pernyi*.
- **China is the major producer** of the tassar but in **India** it is available in **Manipur, Assam, Meghalaya, Himachal Pradesh, Jammu & Kashmir**.
- These moths feed on leaves of **oak**, are found in abundance in sub-Himalayan belt.
- The oak tassar is finer than common tassar silk.

Tassar silk production

- In India, the production of tropical tassar silk remained next to mulberry silk for decades, consisting about 4% of the total silk production.
- There is an ever-increasing demand for tassar silk owing to its strength, luster and copper brown colour.
- The tassar silk production has stagnated and declined in the recent past though the demand is increasing.
- The important reasons for low production are attributed to traditional method of silkworm rearing on tall trees in natural habitat, which exposes the larvae to a number of predators, parasites and disease apart from natural vagaries.



Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

Vijay's
HEAD
Dept. of Zoology
M. G. College, Armori

Policy initiatives for the development of silk industry

- Sericulture is the purposeful area under the Ministry of Textiles. Few of the recent policy initiatives taken by the Ministry to promote sericulture unit are as follows.
- Sericulture is considered as agriculture allied activity under RKVY. This enables the Sericulturists to avail the advantages of the theme for the complete sericulture activities up to reeling.
- The CSB (Amendment) Act, Rules and regulations are notified by the govt. of country to bring quality standards in egg production.
- Amendment in the Forest Conservation Act to treat non mulberry Sericulture as forest-based activity enabling the farmers to undertake enabling the farmers to undertake Vanya silkworm rearing in the natural host plantation in the forests.
- Antidumping duty on Chinese raw silk – The Director General of Antidumping and Allied duties (DGAD), New Delhi has recommended imposition of antidumping duty on Chinese raw silk of 3A Grade & Below in the form of fixed duty of US\$ 1.85 per kg on the landed price of imported raw silk.
- CDP-MGMREGA convergence guideline have been finalized and issued jointly by the MOT and MORD. Farmers can avail assistance from MGNREGA scheme to get benefit from these guidelines.


Production in India

India is the second-largest producer of tassar silk, and exclusive producer of Indian tassar (also known as tropical tassar), which is largely tended to by tribals. Much of it is produced in Bhagalpur (Where it is called Bhagalpur silk), Bihar, and Malda district of West Bengal. Tassar silk is also used for Orissa's pattachitra and West Bengal's kantha stitches. Chhattisgarh and Madhya Pradesh also produce tassar silk. In recent years, the state of Jharkhand has emerged as the biggest producer of tassar silk.

Bhagalpur silk

The tassar silk-weaving industry in Bhagalpur, more than a century old, has about 30,000 handloom weavers working on some 25,000 handlooms. The total value of annual trade is around Rs 100 crores, about half to which comes from exports.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli


HEAD
Dept. of Zoology
M. G. College, Armori

Visit to the Kosa Vikas Center Armori

By - Petkar Sir

Petkar Sir explained us about 4 types of silk, Tassar, Eri, Muya, Mulberry.

Armori Kosa Vikas Produces tassar silk. The adult moths comes out of cocoons in the month of (). The male mate with the females just after emergence.

Eggs

After copulation the female starts laying eggs. A single female can lay upto 100-150 eggs. The eggs hatch within 9-10 days during summer and 15-20 days in winter. Following hatching the larva start taking food leaves from the host plants. The worms are generally green in colour with hair, on cuticle. It moults 4 times during the whole larval period that continues for 30-35 day during summer and 50-60 days in winter.

Pupa


The worm grows into pupa within the cocoon.

Petkar Sir also updates us that the eggs are also given to the farmers who are willing to growth the cocoons for the silk, farmers take the eggs and grow them, after the cocoons are done, they bring back the cocoons to the Kosa Vikas Center.

Outcomes:

- Job opportunities in different sectors in the field of sericulture.
- Student can start own farming and crop cultivation and they get self-employment opportunities.




Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli


HEAD
Dept. of Zoology
M. G. College, Armori



Latitude: 20.437857
 Longitude: 79.982496
 Elevation: 230.27579 m
 Accuracy: 1886.1 m
 Time: 22-03-2021 13:40




Latitude: 20.487819
 Longitude: 79.98255
 Elevation: 200.51196 m
 Accuracy: 6.4 m
 Azimuth: 260° (W)
 Pitch: -9.5° (2.4°)
 Time: 22-03-2021 13:40

Principals

READ
 Dept. of Zoology
 M. G. College, Armori



Principal
 Mahatma Gandhi Arts,
 Science & Late
 N. P. Commerce College,
 Armori, Dist - Gadchiroli




Amritha


HEAD
Dept. of Zoology
M. G. College, Armori



[Signature]
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli



Latitude: 20.48481
Longitude: 79.983086
Elevation: 245.72±54 m
Accuracy: 600.0 m
Time: 22-03-2021 13:45



Latitude: 20.488276
Longitude: 79.98209
Elevation: 312.78±150 m
Accuracy: 155.7 m
Time: 22-03-2021 13:50

[Handwritten signature]

HEAD
Dept. of Zoology
M. G. College; Aïmori



[Handwritten signature]
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Aïmori, Dist - Gadchiroli

जवडाख दि. 27/3/2021



प्राणिशास्त्र विद्यार्थ्यांची कोसा विकास विभागाला भेट

प्राणिशास्त्र विभाग

प्राणिशास्त्र विभागाच्या माध्यमातून कोसा विकास विभागाला भेट देऊन माहिती जाणून घेतली. या अभ्यासदौऱ्यात प्राणीशास्त्र विभागाचे प्रमुख प्रा. डॉ. जवेश पापडकर, प्रा. डॉ. राजेंद्र चव्हाण, प्रा. डॉ. सुनंदा कुमरे यांच्यासह २२ विद्यार्थ्यांनी सहभाग घेतला होता. विद्यार्थ्यांनी रेशीमचे विविध प्रकार, किटकांचे खाद्य, अंडीपूज, ककून फारमेशन व किटकांच्या जीवनचक्राबद्दलची माहिती टसर आयोजन प्रयोगशाळा सहायक सुराल रामटेके यांनी दिली.

माहिती टसर आयोजन प्रयोगशाळा सहायक सुराल रामटेके यांनी दिली. अभ्यासदौऱ्यात प्राणीशास्त्र विभागाचे प्रमुख प्रा. डॉ. जवेश पापडकर, प्रा. डॉ. राजेंद्र चव्हाण, प्रा. डॉ. सुनंदा कुमरे यांच्यासह २२ विद्यार्थ्यांनी सहभाग घेतला. अभ्यासदौऱ्यात प्राणीशास्त्र विभागाचे प्रमुख प्रा. डॉ. जवेश पापडकर, प्रा. डॉ. राजेंद्र चव्हाण, प्रा. डॉ. सुनंदा कुमरे यांच्यासह २२ विद्यार्थ्यांनी सहभाग घेतला होता. विद्यार्थ्यांनी रेशीमचे विविध प्रकार, किटकांचे खाद्य, अंडीपूज, ककून फारमेशन व किटकांच्या जीवनचक्राबद्दलची माहिती टसर आयोजन प्रयोगशाळा सहायक सुराल रामटेके यांनी दिली.

लोकशाही वार्ता दि. 28/3/21

विद्यार्थ्यांनी जाणली कोसा उत्पादनाची माहिती

आरमोरी - महात्मा गांधी महाविद्यालयातील प्राणीशास्त्र विभाग अभ्यासमंडळाच्या विद्यार्थ्यांनी येथील कोसा विकास रिजनल टसर सेंटरला भेट देऊन माहिती जाणून घेतली. या अभ्यासदौऱ्यात प्राणीशास्त्र विभागाचे प्रमुख प्रा. डॉ. जवेश पापडकर, प्रा. डॉ. राजेंद्र चव्हाण, प्रा. डॉ. सुनंदा कुमरे यांच्यासह २२ विद्यार्थ्यांनी सहभाग घेतला होता. विद्यार्थ्यांनी रेशीमचे विविध प्रकार, किटकांचे खाद्य, अंडीपूज, ककून फारमेशन व किटकांच्या जीवनचक्राबद्दलची माहिती टसर आयोजन प्रयोगशाळा सहायक सुराल रामटेके यांनी दिली.



Principal

Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armore, Dist - Gadchiroli


HEAD
Dept. of Zoology
G. College, Amori.

Study Tour B.Sc. II (Zoology)



GONDWANA UNIVERSITY, GADCHIROLI
MIDC Road Complex

Practical Marks Sheet - I
Exam Name : FOURTH SEMESTER BACHELOR OF SCIENCE (B.SC.) (CBCS PATTERN)
College Name: 20 - MAHATMA GANDHI ARTS, SCIENCE AND LATE N.P.COMMERCE COLLEGE, ARMORI ,
DIST.GADCHIROLI,ARMORI
Subject Name : GEOLOGY (PRACTICAL)
Session: SUMMER-2021

Sr.No	Seat No	PRN	Student Name	PRA	REC	VI	Final	Marks
1	3810789	2019033700002815	ASHTEKAR PUNAM ANANDRAO	16	3	0	1	20
2	3810792	2019033700002819	BAGADE BHUSHAN MADHUKAR	14	3	1	3	21
3	3810799	2019033700002827	BARSAGADE TANNU LOKMITRA	17	3	1	2	23
4	3810801	2019033700002830	BHAJANKAR KAJAL ASARAM	16	3	1	3	23
5	3810802	2019033700002831	BHAJANKAR SHEJAL HIRALAL	16	3	1	3	23
6	3810803	2019033700003221	BHAKARE RUCHIT GURUDAS	18	3	1	2	24
7	3810805	2019033700002833	BHANDEKAR DHANSHRI WASUDEV	16	3	1	3	23
8	3810814	2019033700002843	BRAMHANKAR YOGESRI NARESH	19	3	1	3	26
9	3810815	2019033700002844	CHANDANKHEDE ATHARVA ASHOK	12	3	2	3	20
10	3810818	2019033700003067	CHAUDHARI KAJAL DADILAL	14	3	2	2	21
11	3810828	2019033700003078	DHONGE TEJAS NARENDRA	18	3	1	2	24
12	3810832	2019033700003081	DONADKAR SAROJ BHASKAR	18	3	1	2	24
13	3810837	2019033700003206	FARANDE RAHUL RAMESH	19	3	2	2	26
14	3810838	2019033700019609	GADHAVE SANJIVANI ANAND	11	3	1	2	17
15	3810839	2019033700019610	GADPAYLE BRAJAL PRABHAKAR	19	3	0	3	25
16	3810843	2019033700019608	GEDAM DNYANSI KAILASH	19	3	2	3	27
17	3810844	2019033700003212	GHATOL PRADYOT SHIVAJI	12	3	1	2	18
18	3810845	2019033700003214	GHODMARE SHITAL BHASHKAR	12	3	1	3	19
19	3810853	2019033700019612	HARSHE MRUNALI RAVINDRA	15	3	1	1	20
20	3810855	2019033700003252	HICHAMI AMAN DAMA	13	3	1	3	20
21	3810857	2019033700003254	INDURKAR SHRUTI ARUN	19	3	1	3	26
22	3810859	2019033700019613	INKANE ANJALI GIRIDHAR	17	3	1	3	24
23	3810860	2019033700003256	JAKKANWAR MAYURI HARIHAR	13	3	1	3	20
24	3810863	2019033700003715	JANBANDHU SAKSHI DAULAT	16	3	2	2	23
25	3810867	2019033700003719	JUARE NAMRATA SURESH	14	3	1	2	20
26	3810868	2019033700003720	JUARE SANCHIT VILAS	13	3	2	2	20
27	3810873	2019033700003725	KALBANDHE MAMTA DILIP	15	3	2	2	22
28	3810874	2019033700003726	KALE AMIT ANANDRAO	18	3	1	2	24
29	3810880	2019033700003733	KASEWAR SHRUTI NARESH	14	3	1	3	21
30	3810886	2019033700019616	KHARWADE AKHIL DINKAR	14	3	1	3	21
31	3810887	2019033700003743	KHEDEKAR TUSHAR SURESH	17	3	2	2	24
32	3810888	2019033700003744	KHEOLE PRAJAKT NARENDRA	19	3	2	2	26
33	3810894	2019033700003751	KOKODE ACHAL RAJENDRA	18	3	2	2	25
34	3810895	2019033700003754	KUTHE KALYANI SADANAND	14	3	2	3	22
35	3810896	2019033700003755	KUTHE KHUSHBU SHAMRAO	12	3	1	2	18
36	3810904	2019033700003763	MANKAR ASHWINI FALGUN	10	3	1	2	16
37	3810910	2019033700003768	MESHAM PRANAY WAMAN	19	3	1	3	26
38	3810922	2019033700003780	MYAKLWAR SUJATA DATTATRAY	18	3	1	2	24
39	3810923	2019033700003781	NAGOSE DIVYA NANAJI	14	3	2	3	22
40	3810928	2019033700019618	NARNAWARE CHETAK PATIRAM	15	3	1	2	21
41	3810931	2019033700003791	PAL SHRUTI SUNIL	16	3	1	1	21
42	3810932	2019033700003792	PAL VAIBHAV VINOD	14	3	1	3	21
43	3810938	2019033700003798	PRAKASH MANISH PRAKASH	17	0	1	1	19
44	3810948	2019033700003808	RAUT TWINKAL SURESH	19	3	1	3	26
45	3810950	2019033700003810	SAHARE MRUNESHWARI SHIVCHARAN	18	3	2	3	26
46	3810954	2019033700003814	SAMARTH ACHAL ARUN	12	3	1	0	16
47	3810955	2019033700019619	SAMARTH RAJSHRI VILAS	16	3	0	2	21



GONDWANA UNIVERSITY, GADCHIROLI
MIDC Road Complex

Practical Marks Sheet - I

Exam Name : FOURTH SEMESTER BACHELOR OF SCIENCE (B.SC.) (CBCS PATTERN)
College Name: 20 - MAHATMA GANDHI ARTS, SCIENCE AND LATE N.P.COMMERCE COLLEGE, ARMORI ,
DIST.GADCHIROLI,ARMORI
Subject Name : GEOLOGY (PRACTICAL)
Session: SUMMER-2021

Sr.No	Seat No	PRN	Student Name	PRA	REC	VI	Field	Marks
48	3810959	2019033700003819	SHAHARE KHUSHABU ASHOK	17	3	1	2	23
49	3810960	2019033700003822	SHEIKH TAHARIN SABA ABDUL BASHIR	14	3	2	3	22
50	3810969	2019033700003832	SONKUSARE SAHIL RAJENDRA	20	3	1	2	26
51	3810979	2019033700003842	TORE PRADIP BALKRUSHANA	12	3	1	2	18
52	3810989	2019033700003851	WARKHADE SAGAR SURESH	15	3	2	3	23

Signature of Examiner :

D.P. Wanmali
31-07-21
Ku. D. P. Wanmali

D.P. Wanmali
HEAD
Dept. of Geology
M. G. College Armori



[Signature]
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

Study Tour B.Sc. I (Botany)

Practical Mark-Sheet

Session Winter-2020

College Name: Mahatma Gandhi Arts, Science & Late N.P. Commerce College, Armori

Subject- Botany(Sem-I)

Date of Examination:23/02/2021

Sr. No.	Name of Students	Q. 1	Q. 2	Q. 3	Q. 4	Q. 5	Q. 6	Q. 7	Q. 8			Total Marks
									Viva-Voce (2)	Pract. Record (2)	Excursion Report (2)	
1.	Dnyaneshwari Chichaghare	2	3	3	3	3	3	5	2	2	2	28
2.	Prashant Devidas Bhandarkar	2	3	3	3	3	3	5	2	2	2	28
3.	Arpit Homraj Juare	2	3	3	3	3	3	5	2	2	2	28
4.	Kalyani Ramdas Dahikar	2	3	3	3	3	3	5	1	2	2	27
5.	Suraj Anil Ambade	2	3	3	3	3	3	5	1	2	2	27
6.	Nisha Sudhangsu Halder	2	3	3	3	3	3	5	2	2	2	28
7.	Snehal Haraba Kowachi	2	3	3	3	3	3	5	2	2	2	28
8.	Komin Bhushan Damgara	2	3	3	3	3	3	5	2	2	2	28
9.	Sandhya Haridas Thakare	2	3	3	3	3	3	5	2	2	2	28
10.	Manish Anil Dhameja	2	3	0	2	0	3	3	2	2	2	19
11.	Gauri Dinkar Meshram	2	3	3	3	3	3	5	2	2	2	28
12.	Paritosh Bhagwat Pardhi	2	3	1	2	0	3	3	2	2	2	20
13.	Vaishnavi Vilas Selote	2	3	1	2	0	3	3	2	2	2	20
14.	Bhusan Ravindra Kobragade	2	3	3	3	3	3	5	2	2	2	28
15.	Sayali Mangaru Tembhurne	2	2	0	2	3	3	5	2	2	2	23
16.	Pratiksha Vinayak Hadge	2	3	0	2	1	3	3	2	2	2	20
17.	Vaishnavi Ajay Bhadange	2	3	3	3	3	3	5	2	2	2	28
18.	Priyanka Murlidhar Bedre	2	3	0	0	2	3	2	2	2	2	18
19.	Kalyani Ashok Waghade	2	3	3	3	3	3	5	2	2	2	28
20.	Yutika Ravindra Kokode	2	3	3	3	3	3	5	2	2	2	28
21.	Vaishnavi Vilas Bansod	2	3	3	3	3	3	5	2	2	2	28
22.	Puja Gunwant Ramteke	2	3	3	3	3	3	5	1	1	2	26
23.	Sunesh Peka Timma	2	3	1	3	3	3	5	2	2	2	26
24.	Gaurav Pranab Mandal	2	3	2	3	0	1	3	2	2	2	20

25.	Pranali Sitaram Hurra	2	3	3	3	3	3	4	2	2	2	27
26.	Anket Narendra Pada	2	3	3	3	3	3	4	2	2	2	27
27.	Dhanashri Ramesh Kshirsagar	2	3	3	3	3	3	5	2	2	2	28
28.	Mayuri Dinkar Meshram	2	3	3	3	3	3	5	2	2	2	28
29.	Monika Niranjan Kirtonia	2	3	3	3	3	3	5	1	1	2	26
30.	Rohini Wasudeo Nandanwar	2	3	3	3	3	3	5	2	2	2	28
31.	Gayatri Chintaman Fapanwade	2	3	3	2	3	3	4	2	2	2	26
32.	Mayuri Ashok Wadhankar	2	3	3	3	0	3	4	2	2	2	24
33.	Kishori Jaykrishna Tijare	2	3	3	3	0	3	4	2	2	2	24
34.	Ravina Rajendra Korwati	2	2	3	2	3	3	5	2	2	2	26
35.	Sneha Dadaji Meshram	2	3	3	3	3	3	4	2	2	2	27
36.	Isha Sunil Thakare	2	2	3	2	3	3	5	2	2	2	26
37.	Chetan Jiwan Chaple	2	3	3	2	3	3	5	2	2	2	27
38.	Nilima Sudhakar Badwaik	2	3	3	3	3	3	5	2	2	2	28
39.	Sameer Bhaktadas Motghare	2	3	3	3	3	3	5	2	2	2	28
40.	Roshan Punaram Madavi	0	3	1	3	1	3	2	2	2	2	19
41.	Rahul Sadaram Holi	2	3	3	3	2	2	5	2	2	2	26
42.	Atul Pramod Shimpolkar	2	3	3	3	3	3	5	2	2	2	28
43.	Amit Tikaram Pudo	0	3	1	0	3	3	5	2	2	2	21
44.	Rupali Moreshwar Kannake	2	0	1	3	1	3	3	0	1	2	16
45.	Saleha Sagir Sheikh	2	3	3	3	3	3	4	2	2	2	27
46.	Chiranjeev Narayansingh Kumoti	0	1	1	0	1	2	2	2	2	2	13
47.	Vipin Chhaganlal Parchapi	2	1	1	0	2	3	4	2	2	2	19
48.	Mayur Chokhaji Rayshidam	2	3	2	3	3	2	2	0	1	2	20
49.	Payal Arun Borkar	2	3	3	2	1	3	4	2	2	2	24
50.	Kiran Yogaji Dumane	2	0	0	0	1	3	3	2	2	2	15
51.	Shruti Deoram Pada	2	3	3	3	3	3	5	1	1	2	26
52.	Shreya Ramesh Kotawar	2	3	3	2	3	3	5	0	1	2	24
53.	Sahil Vilas Chaudhari	2	3	3	3	3	3	4	0	1	2	24

Kabalkar
Internal Examiner
Internal Examiner
Dr. V. I. Kabalkar
Dept. of Botany



[Signature]
Head of Department
Wahetma Ganesh Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli

[Signature]
Head of Department
HEAD
Dept. of Botany
M. G. College, Armori.

Study Tour B.Sc. I (Geology)



GONDWANA UNIVERSITY, GADCHIROLI
MIDC Road Complex

Practical Marks Sheet - I
Exam Name : SECOND SEMESTER BACHELOR OF SCIENCE (B.SC.) (CBCS PATTERN)
College Name: 20 - MAHATMA GANDHI ARTS, SCIENCE AND LATE N.P.COMMERCE COLLEGE, ARMORI ,
DIST.GADCHIROLI,ARMORI
Subject Name : GEOLOGY (PRACTICAL)
Session: SUMMER-2021

Sr.No	Seat No	PRN	Student Name	PRA	REC	VI	Finl. Marks
1	3781740	2020033700005746	AKHADE SHIVANI RAVINDRA	18	3	3	27
2	3781747	2020033700005751	BANKAR RITU DHANPAL	14	3	3	23
3	3781754	2020033700005758	BHARNE SAKSHI DILIP	16	3	3	25
4	3781755	2020033700005759	BHARNE SEJAL DILIP	16	3	3	25
5	3781757	2020033700005761	BHOYAR HARSHWARDHAN DILIP	16	3	3	24
6	3781763	2020033700005767	BUDDHE HARSHADA MURLIDHAR	17	3	3	26
7	3781774	2020033700005823	DHAIT PRAJWAL NARENDRA	16	3	3	24
8	3781777	2020033700005826	DHONGE OMKAR SHIVKUMAR	17	3	2	23
9	3781781	2020033700005831	DUMANE DIPA DEVIDAS	16	3	3	24
10	3781786	2020033700005836	GAJPURE PRANJALI VIJAY	20	3	2	28
11	3781792	2020033700005844	GURNULE SAHIL PRAKASH	18	3	2	25
12	3781793	2020033700005845	GURU HIMANSHU SANJAY	19	3	3	28
13	3781795	2020033700005846	HAJARE KUNAL DNYANESHWAR	16	3	3	24
14	3781798	2020033700005849	HEDAU NIKITA KESHAV	18	3	3	26
15	3781799	2020033700005851	HEMKE GAURE VIJAY	16	0	3	21
16	3781802	2020033700005857	JANBANHU LINASHRI SADANAND	12	3	3	21
17	3781805	2020033700005860	JUARE SWAPNIL PRAMOD	14	3	3	22
18	3781806	2020033700005861	KALSAR DURGA SUDHAKAR	16	3	3	24
19	3781808	2020033700005864	KAR SHUBHAM DIGAMBAR	16	3	2	24
20	3781809	2020033700005865	KAWALE SHASHANK SHAILENDRA	16	3	3	24
21	3781811	2020033700005866	KELZARKAR SHREYA PRAKASH	16	3	3	24
22	3781815	2020033700005871	KIRNAPURE PRACHI GANGADHAR	18	3	2	25
23	3781820	2020033700005876	KOLTE ROSHANI BALKRUSHANA	18	3	3	26
24	3781830	2020033700005887	KUTHE ANIKET KISHOR	20	3	3	29
25	3781831	2020033700005888	KUTHE BHARGAV SADANAND	16	3	3	24
26	3781832	2020033700005889	KUTHE PRANALI TANAJI	18	3	3	27
27	3781833	2020033700005890	KUTHE VAISHNAVI DNYANESHWAR	20	3	3	28
28	3781839	2020033700005897	MEASHRAM SHRUTI SHUDDHODHAN	14	3	3	23
29	3781842	2020033700005902	MESHARAM PRITI YASHWANT	17	3	3	26
30	3781844	2020033700005903	MESHARAM SAMTA VIJAY	17	3	3	25
31	3781846	2020033700005905	MHASHAKHETRI MAITHILI UMAKANT	16	3	2	23
32	3781847	2020033700005907	MISAR KAMLESH PANDHARI	16	3	3	24
33	3781858	2020033700005924	NIMBEKAR NIKITA DIPAK	18	3	3	27
34	3781864	2020033700005992	PATHAN RUKSAR MUNWAR	20	3	3	29
35	3781865	2020033700005993	PATHAN SALEHA ASHPAQUELLA	20	3	2	27
36	3781872	20200337000021287	RANDHAYE VIRENDRA BHAUJI	18	3	3	27
37	3781879	2020033700006004	SAHARE MEGHA PRADIP	18	3	2	26
38	3781880	2020033700006005	SARVE DIKSHA DADAJI	21	2	3	29
39	3781886	2020033700006011	SHEIKH SIMRAN JAHID	19	3	3	28
40	3781887	2020033700006012	SHENDE AISHWARYA RAJENDRA	16	3	3	25
41	3781892	20200337000021289	SONKUSARE ROSHAN DEORAO	16	3	2	24
42	3781893	2020033700006016	SONKUSRE SHESHRAJ BHAURAO	15	3	3	24
43	3781894	2020033700006017	SORTE PAYAL VINOD	16	3	2	23
44	3781901	2020033700006024	TICHKULE SNEHA RAJU	18	3	3	26
45	3781914	2020033700006035	WARKE AKANKSHA BHARAT	14	3	3	23
46	3781918	2020033700006039	ZODAGE ADITYA ARVIND	16	3	3	24



GONDWANA UNIVERSITY, GADCHIROLI
MIDC Road Complex

Practical Marks Sheet - I

Exam Name : SECOND SEMESTER BACHELOR OF SCIENCE (B.SC.) (CBCS PATTERN)
College Name: 20 - MAHATMA GANDHI ARTS, SCIENCE AND LATE N.P.COMMERCE COLLEGE, ARMORI ,
DIST.GADCHIROLI,ARMORI
Subject Name : GEOLOGY (PRACTICAL)
Session: SUMMER-2021

Sr.No	Seat No	PRN	Student Name	Marks
-------	---------	-----	--------------	-------

Signature of Examiner :

[Signature]
Dr. C.P. Dabke
30/07/2021
Internal Examiner

[Signature]
HEAD
Dept. of Geology
M. G. C. Armori



[Signature]
Principal
Mahatma Gandhi Arts,
Science & Late
N. P. Commerce College,
Armori, Dist - Gadchiroli